09993.book Page 1081 Thursday, June 1, 2006 11:09 PM

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Symbols & Numbers

& (ampersand), for background program execution, 259
! *command* (FTP), 636
! (exclamation point), to recall recent command, 252
#!/bin/sh directive, 264
(hash mark)
  for CUPS comment, 578
  for Samba comments, 690
$ (dollar sign), as command prompt, 208
$TTL command (localhost.zone file), 545
* (asterisk), as wildcard, 214, **261**
/ (forward slash), 261–262
  for absolute path, 204
/ (root) directory, 224
  space requirements, 133
? (question mark), as wildcard, 214, **261**
@ command (localhost.zone file), 545
@ root command (localhost.zone file), 545
; (semicolon), for Samba comments, 690
‘ (single quotes), 262–263
“ (double quotes), 262–263
\ (backslash), 261–262
` (back quotes), 262–263
~/bin directory, saving scripts in, 266
~ (tilde) for home directory, 842
  in bash shell, 260
0anacron job, 393
32-bit architecture, Microsoft Windows and Linux on same system, **23–30**
  NTFS partition splitting, **28–30**
  procedure steps for VFAT partitions, **26–28**
  using existing hard drive, **25–26**
  using new hard drive, **24–25**
802.11a standard, 445
802.11b standard, 445
802.11g standard, 445

A

a (append) command (vi), 218, 219
a command (fdisk), 228, 229
A command (localhost.zone file), 545
A command (vi), 219
AAAA command (localhost.zone file), 545
AbiWord, 960, *961*, **961–962**
About Me applet (GNOME), *871*, 871
About To Upgrade screen, 99, *100*
absolute path, 201, 204
  displaying, 202
access file (Postfix), 608
access file (sendmail), 599
access.conf configuration file, 728
AccessFileName directive (Apache), 738
Accessibility applet (KDE), 924
accessibility, GNOME Assistive Technology Support Preferences window, *864*, 864
Account module (PAM), 488
acpi file, 41
acpid log file, 405
Active Directory, 681
Active Directory Domain Controller, 681
active partition, 22
ada, 94
Adabas D, 949
AdBlocK Filters applet (KDE), 917
Add Partition dialog box, 68, *69*
Add Partition window, *129*, 129–130
AddCharset directive (Apache), 747
AddDescription directive (Apache), 744
AddEncoding directive (Apache), 745
AddHandler directive (Apache), 747
AddIcon* directive (Apache), 744
AddLanguage directive (Apache), 745–747
Address Resolution Protocol (ARP), 446, 455
AddType command (Apache), 756
Administration Tools package group, 90, 167
administrative tasks, in LPI Level II exam, 789
administrative user groups, 272
administrators
  backups by, 417
  for printers, adding, **593–594**
Adobe Acrobat for Linux, 976
ads mode for Samba security, 693
Advanced Boot Loader Configuration, *77*, 77–78

COPYRIGHTED MATERIAL

09993.book Page 1082 Thursday, June 1, 2006 11:09 PM

Advanced Configuration and Power Interface (ACPI), 368–369
Advanced Interactive eXecutive (AIX) operating system, 11
Advanced Linux Sound Architecture (ALSA), 34, 383
Advanced Maryland Automatic Network Disk Archiver (AMANDA), 419
Advanced Power Management (APM), 368–369
  disabling during installation, 59
Advanced Research Project Agency (ARPA), 10
Advanced Server, Red Hat Enterprise Linux AS, 5
Agnubis, 960
AIX (Advanced Interactive eXecutive) operating system, 11
Akregator, sound for, 927
alacarte command, 861
Alias directive (Apache), 741–742
aliases, **263**
  for rm command, 207
  for sendmail, 598, 605
Allow command (CUPS Location directive), 588
Allow from all directive (Apache), 763
AllowOverride directive (Apache), 735, 737
ALSA (Advanced Linux Sound Architecture) project, 34
AMANDA (Advanced Maryland Automatic Network Disk Archiver), 419
Amazon.com, 18
ampersand (&), for background program execution, 259
Anaconda, 47
  default Kickstart file, 163
  detection of new drive for installation, 24
  installing Linux locally with, **91–94**, *92*
anaconda-ks.cfg file, 163, 176, *176*
anaconda.log file, 96, 405
anaconda.syslog file, 405
anaconda.xlog file, 405
anacron system, and power off, **395**
Anonymous command (CUPS Location directive), 588
anonymous connections, to vsFTP, 642
Ant build tool, 170
ANTLR tool, 170
AOLServer web server, 724
Apache server (httpd), 8, 172, 723, 724. *See also* Fedora Core GUI Apache tool
  basics, **725–726**
  packages, 725–726
  version 2.2 changes, 725
  cache directives, 752
  caching services, **771–772**
  checking configuration remotely, *751*
  configuring, **726–762**
  customizing, **727–752**. *See also* httpd.conf configuration file
  customizing modules, **754–755**
  firewall and, 762
  log files, **739–741**, 762
  memory mapping of files, 741
  performance tuning, *770*, 770–771
  preparing for Linux install over network, **107–110**
    copying files, 108
    sharing directories, *109*, **109–110**
  proxy server, 751–752
  reports, 749–751, *750*
  secure virtual hosts, **755–758**
  security for, 628
  SELinux for web directories, **753–754**
  to share Fedora Core updates, 628
  standard modules, 731–734
  starting, **726–727**
  troubleshooting, **760–762**
  virtual hosts, **752–754**
apachectl command, 726
APM (Advanced Power Management), disabling, 59
append command (isolinux.cfg), 51
appending data to end of file, 257
Apple Macintosh, 3
Application layer (OSI), 440
Application layer (TCP/IP), 443
Applications category of package groups, 86, *86*
applnk file (X), 841
apt package manager, 301
Archive Manager (GNOME), 881, *882*
ARCnet Devices, 377
Ark (KDE archiver), 931
ARP (Address Resolution Protocol), 446, 455
arp command, 451, **455**
ARPA (Advanced Research Project Agency), 10
aRts Builder, 942
aRts Control Tool, 942
arts-devel package, 170
AS (Advanced Server) Red Hat Enterprise Linux, 5
ascii command (FTP), 636

09993.book Page 1083 Thursday, June 1, 2006 11:09 PM

Assistive Technology Support Preferences window (GNOME), 864, *864*
asterisk (*), as wildcard, 214, **261**
Asynchronous Transfer Mode (ATM), 379, 445
at daemon, 391, **395–396**
at package, 166
AT&T, 10
ATA/ATAPI/MFM/RLL Support menu, 375, *375*
atdt command, for ISP modem connection, 472
ATM (Asynchronous Transfer Mode), 445
ATM Drivers submenu, 379
atq command, 396
atrm command, 396
ATrpms repository, 307
attributes (LDAP), 670
audio. *See also* sound cards
  KDE applets for configuring, **925–928**
Audio CDs applet (KDE), 926
Audio Devices window, 43, *43*
audit log file, 405
auth command (Kickstart), 184
Auth module (PAM), 488
auth_basic_module (Apache), 731
AuthClass command (CUPS Location directive), 588
authconfig command, 676
auth_digest_module (Apache), 731
authentication
  in Kickstart configuration file, **181–182**
  for website access, 760, *761*
Authentication Configuration menu (Kickstart Configurator), **190–191**, *191*
Authentication Configuration window, 155, *156*
AuthGroupName command (CUPS Location directive), 588
auth_kerb.conf file (Apache), 754
auth_mysql.conf file (Apache), 754
authn_alias_module (Apache), 731
authn_anon_module (Apache), 731
authn_file_module (Apache), 731
Authoring and Publishing package group, 86, 167
auth_pgsql.conf file (Apache), 754
AuthType command (CUPS Location directive), 588
authz_ldap.conf file (Apache), 754
autofs daemon, 244
automake package, 168
Automatic Proxy Configuration, sound for, 927
automatic rescue mode, 336–337
auto.misc configuration file, **244–245**
Automounter for filesystems, **243–246**
  local setup, **244–245**
  network setup, **245**
autopart command (Kickstart), 184
AutoPurgeJobs variable (CUPS), 582
Autorun utility (KDE), 933
Avalon framework, 170
awstats.conf file (Apache), 754

B

back quotes (`), 262–263
back tick, 262
backbones, 438
background
  of GNOME desktop, 871, *872*
  of KDE desktop, 905, 906, *906*
  running programs in, **258–259**
Backlight & LCD Device Support submenu, 382
backslash (\), 261–262
backup domain controller (BDC), 681
backups
  of .config file, 359
  basics, **415–418**
  CD/DVD for, 418, **419**, **426–429**
  before changing partitions, 227
  data loss disaster scenarios, **416**
  generic commands, **419–422**
    cpio command, 421–422
    tar command, 420–421
  levels, **416–417**
  media for, 415, **418–419**
  rsync command, 429
  of smb.conf file, 688
  tape dump and restore, **422–426**
  type and frequency, **417–418**
Balsa, 960, *962*, **962–963**
base 16, 439, 449
Base package group, 90, **166–167**
Base System category of package groups, *90*, 90
baseline configuration, 354
basesystem package, 165
baseurl directive, 303, 630
bash package, 165
bash prompt, 96
bash shell, **251–253**
  commands to view directories, 93
  Fedora Core Installation screen for, 143
  history of commands, 254, *254*

09993.book Page 1084 Thursday, June 1, 2006 11:09 PM

for installation commands, 95
interactivity, **252–253**
for pre-installation scripts, 193
Tab key for completing commands, 253
tilde (~) for home directory of current user, 260
.bash_history file, 254
.bash_logout file, 254, 255
.bash_profile file, 254, 255
for permanent changes, 256
.bashrc file, 254, 255
Basic Configuration menu (Kickstart Configurator), **186**
BasKet utility (KDE), 934
bastion host, 487
batch command, 395, 396
baud rate, of modem, 469
bdb database directive, 671
Beagle service (GNOME), 879
Bell Labs, 10
Berkeley Internet Name Domain (BIND). *See* BIND (Berkeley Internet Name Domain)
Berkeley Standard Distribution (BSD), 11
and Mac OS X, 3
Bernoulli drives, for backups, 418
Bernstein, D.J., 596
beta release of kernel, version number for, 345
bg command, 259
/bin directory, 224
binaries, building from tarball, **313–314**
binary command (FTP), 636
binary notation, IPv4 private address in, 446
binary reader, 514
bind (Berkeley Internet Name Domain), 168, 456, 537
bind-chroot, 168
bind-chroot package, 538
BIND Configuration tool, **550–555**, *551*
adding zone, **554–555**, *555*
modifying configuration, **553–554**
reviewing current configuration, **551**, *552*
bind-utils package, 166
binutils package, 168, 357
BIOS (Basic Input/Output System), 323
parameters for configuring, **38–40**
BIOS menu, 38–39, *39*
bit, 447
BitTorrent, 29
blinKen applet (KDE), 935
Block Devices submenu, 374, *374*
Block Layer kernel menu, 366, *367*
block size, for dump command, 423
Blogger Preferencs application, in GNOME, 887, *888*
Bluecurve, 17, 899
boa package, 725
Boa web server, 724
BoardName directive (xorg.conf), 846
Bochs, 17
boot CD, 196
files on, **195–196**
/boot/config-x file, 354
/boot directory, 224
kernel-related files, 347
partition for, 226
space requirements, 132
boot disk
creating, 48–49, **118–119**
custom, **334–335**
floppy and kernel size, 356
Kickstart configuration file from, **194–197**
/boot/grub/menu.lst file, 387
boot images, 48, 118
creating, 196
Boot Loader configuration, *75*, 75–76
Boot Loader Options menu (Kickstart Configurator), *187*, **187–188**
boot loader, updating, 99, *100*
boot order of hard drives, 38
boot process, **323–324**
learning to troubleshoot, 821
in Linux+ certification exam, 780
in LPI Level II exam, 788
starting DNS during, 549
boot variable (GRUB), 329
bootable partition, creating, 229, *230*
boot.iso file, **50–51**, 118
CD based on, 48
bootloader, **324**, *328*, **328–330**
on active partition, 22
choices in upgrading, 142
default, in First Boot process, 160, *161*
installing on bootable partition, 229
location of, 136, *136*
passwords on, 486
selecting, 133–134, *134*
updates, **348**, **387–388**

09993.book Page 1085 Thursday, June 1, 2006 11:09 PM

bootloader command (Kickstart), 179, 184
boot.log file, 405
BOOTP protocol, 559
BOOTPROTO variable, 473, 560
Bridge: Netfilter Configuration submenu, 372
bridges, 453
broadband connection, 463
broadcast address, 448, 459
  enabling for DHCP, 556
browse list, 681
browse master, 681
BrowseAddress command, 585
BrowseAllow command (CUPS), 587
BrowseInterval variable (CUPS), 586
BrowseOrder variable (CUPS), 587
BrowsePoll variable (CUPS), 586
Browser Identification applet (KDE), 917
BrowseRelay variable (CUPS), 586
BrowserMatch directive (Apache), 749
BrowseShortNames variable (CUPS), 586
BrowseTimeout variable (CUPS), 586
browsing, in Samba, **695–696**
BSD (Berkeley Standard Distribution), 11
  and Mac OS X, 3
btmp log file, 405
Bugzilla database, 19
Bus Options kernel menu, 369, *369*, *370*
BusID directive (xorg.conf), 846
business size, and Linux use, 18
bye command (FTP), 636
byte, 447

C

C programming language, 10
C shell, 251
Cache applet (KDE), 917
Cache* directives (Apache), 752
cachedir directive (yum), 301
caching-nameserver package, 168
caching-only DNS nameserver, 539, **549–550**
caching services, for Apache server, **771–772**
Caitoo, 937
Calc (OpenOffice), *950*, **950–951**
calculator (GNOME), 882, *883*
cameras, compatibility issues, 33
Cancel action (CUPS), 564
canonical file (Postfix), 608
cAos (Community Linux), 6
case sensitivity
  in Linux, 9, 202, 251
    vs. Microsoft, 697–698
  in vi searches, 218
cat command, 118, **209–210**, 591
categories, in comps.xml file, 164–165
Caudium web server, 724
CCRMA repository, 307
cd command, 201, **202**
cd command (FTP), 637
CD Database Preferences window, 866, *866*
CD/DVD drives
  access to unbootable, 48
  for backups, 418, **419**, **426–429**
  PCs without, 194
CDDB (Compact Disc Database), 866
cdrecord command, 48, 50, 196, 426, 427, *428*
CDs, files for booting from, **195–196**
central time server, synchronizing clock with, 80
Certificate Authority, 758
certifications. *See* Linux certifications; Red Hat certifications
certified hardware, 33
certs/ directory (CUPS), 577
CGI Scripts applet (KDE), 917
chage command, **280–281**
chainloader variable (GRUB), 329
character devices, **380**
Character Map (GNOME), 883, *883*
characters in file, count of, 214
chcon command, 753
check command (parted), 232
checksum file, when downloading media, 52
checkwinsize directive, 254
chfn command, 667
chgrp command, 211
Chinese, Fedora Core in, *160*
chkconfig command, 398, 498, 521
chkconfig cups-lpd on command, 590
chmod command, 212
  to make script executable, 394
Choose A Tool menu, *159*, 159
chown command, 211
chroot environment, for post-installation scripts, 194
chroot jail, 538
chroot_list_enable file, 645
chroot_local_user command, 642

09993.book Page 1086 Thursday, June 1, 2006 11:09 PM

CIDR (Classless Inter-Domain Routing), 459, **461–463**
CIFS (Common Internet File System), 441, 679
CIPE (Crypto IP Encapsulation) system, 473
class of printers, 563
classes of printers, 574–575, *575*
classes.conf file (CUPS), 577
ClassifyOverride variable (CUPS), 581
Classless Inter-Domain Routing (CIDR), 459, **461–463**
cleaning, source code, 354
clearpart command (Kickstart), 182, 184
client.conf file (CUPS), 578
clients
  configuring on Squid proxy server, 772
  for DNS, **555–556**
  FTP service as, **635–641**
  for LDAP, configuring, **675**
  for local repository, **630–631**
  for mail services, **612–616**
    graphical, **615–616**
    text-based, **612–614**
  for NFS, **656–657**
  for NIS, **666–669**
    commands, **667–668**
    /etc/nsswitch.conf file, **668–669**
    yp.conf for configuring, **667**
  for TCP Wrapper, **525–526**
clipboard, in KDE, 902
clocks on servers, synchronizing, 558
Clustering package group, 168
cn (common name), 670
Code Level Maturity Options kernel menu, **364**, *365*
CodeWeavers, CrossOver Office, **959**
color coding, in command output, 203
color depth
  Kickstart xconfig settings, 180
  for monitor, 155
  for X Window, 193, 831
color schemes for KDE windows, 906
COLORTERM environment variable, 256
combining commands, **215–216**
Comer, Douglas, 11
comma-separated file format, 952
command-line interface
  advantages, 201
  combining commands, **215–216**
  file and directory setup, **204–209**
  file management, **209–213**
    permissions, **211–213**
  file manipulation, **213–216**
  for FTP clients, 635
  in GNOME, 860
  vs. GUI, 277, 829
  navigational commands, **201–204**
  on Red Hat exams, 818
  yum update utility at, **308–311**
command-line interpreters, shells as, 251
command prompt, for root user, 208
command.types file (CUPS), 578
Common Internet File System (CIFS), 441, 679
Common Unix Printing System (CUPS). *See* CUPS (Common Unix Printing System)
community knowledge hardware, **35**
Compact Disc Database (CDDB), 866
compiling, in LPI Level II exam, 789
Component Chooser (KDE), 919
compressed kernel image, 355
compressed tar archives, 420
comps.xml file, 84, **163–176**
  basic stanzas, **164–165**
  editing examples, **174–175**
  language, package groups supporting, 173
  mandatory groups, **165–167**
  processing, **175–176**
CompTIA, 324. *See also* Linux+ certification exam (CompTIA)
computer accounts, configuring, **707–708**
concatenate (cat) command, **209–210**
conditional in scripts, 264
condrestart action for service script, 398
confCONNECTION_RATE_THROTTLE directive (sendmail), 603
.config file, 354
configtest action for service script, 398
configuration files
  default, **324–333**
    bootloader, *328*, **328–330**
    /etc/inittab file, *330*, **330–332**
    /etc/modprobe.conf file, **326–327**
    hardware detection, **324–326**
    listing modules, *327*, **327–328**
    starting runlevel, **332–333**
  troubleshooting, **333–340**
confMAX_DAEMON_CHILDREN directive (sendmail), 603
connection-oriented protocol, 444

09993.book Page 1087 Thursday, June 1, 2006 11:09 PM

Connection Preferences applet (KDE), *912*, 912
connectionless protocol, 444
Connector - Unified Userspace <-> Kernelspace Linker menu, 373
Console Display Driver Support submenu, 382
Console Security Level tool, **499–500**, *500*
control flags for PAM, 488–489
control of computer, with Linux, **14**
Cookies applet (KDE), 917
Coordinated Universal Time, 413
copying
  encrypted password, 279
  files for Linux install over network
    using Apache, **108**
    using FTP server, 110–111
    using NFS server, **104–105**
  to TFTP server, **114**
Core Netfilter Configuration submenu, 372
Core package group, **165–167**, 168
Core repository, 300
Corel Linux, 17
coreutils package, 165
Cornell University, 4
costs, of Linux, **14–15**
Country/Region & Language applet (KDE), 924
Cox, Alan, 345
cp command (parted), 232
cp (copy) command, **205–206**
cpio command, 298, 419, 421–422
cpio package, 165
cpp package, 357
CPU
  customizing Linux kernel for, 366
  Fedora Core recommendation, 36
  minimum requirements, 7
  and RPM packages, 295
cpuinfo file, 41, *42*
crack program, 285
crackers, 403
  attack on FTP server, 645
  denying information to, 703
  detecting break-ins, **512–514**
  preventing access by, 256, 524
  and stty command, 260
Create action (CUPS), 564
Create New Group dialog box, 283, *283*
Create New User dialog box, 281, *282*
createrepo package, 620, 627
cron daemon, **391–395**
  anacron system and power off, **395**
  limiting access to, 395
  security for, **395**
  standard jobs, **393–394**
  syntax, **393**
  user jobs, **394**
crond service, 16
crontabs package, 166
CrossOver Office, 17, **959**
CRT monitors, 833
Crypto applet (KDE), 925
Crypto IP Encapsulation (CIPE) system, 473
crypto-utils package, 726, 758
Cryptographic Options kernel menu, 386
cryptography, options, 386, *387*
Ctrl+Alt+Del, for shutdown command, 331
Ctrl+Alt+F*n* command, 94
CUPS (Common Unix Printing System), **563–594**
  administrative tasks, 576, *576*
  browse parameters, 585–586
  configuration files, **577–589**. *See also* /etc/cups/cupsd.conf file
  Configuration menu, 571, *571*
  downloading, 572
  encryption support, 583
  history of completed jobs, *573*, 573
  home page, *572*
  log file variables, 581
  log files, *590*, 590–591
  log levels, 580
  lpadmin command, **577**
  lpstat command, **577**
  network settings, 584
  online help, 574
  print job management with GUI tool, *589*, **589–591**
  print job queue, checking, 572–573
  printer classes, 574–575, *575*
  printer management commands, **591–593**
  quotas, 582
  RPM packages, 569–570
  security, 586–587
  user limits, 584–585
  web-based configuration, **570–576**, *571*
cups-devel package, 570
cups-libs package, 569
cups log file, 405

09993.book Page 1088 Thursday, June 1, 2006 11:09 PM

cups-lpd service, 589
cups package, 569
cups service, 16
curl command, 52–53, *53*
current directory, 260
    running programs in, 259
custom boot disk, **334–335**
CustomLog directive (Apache), 741
cvs, 523
cw (change word) command (vi), 218, 219
Cyrus-IMAP package, directives for, 603

D

d command (fdisk), 228
daemon logs, **404–405**
daemons, 8–9
    for TCP Wrapper, 525
DagWieers repository, 307
Dallas Semiconductor, 1-Wire Bus, 381
Dasher application (GNOME), 883, *884*
data damage, partition changes and, 235
Data-Link layer (OSI), 441
data loss, disaster scenarios, **416**
data streams, **257–258**
    and file descriptors, 258
database applications, 949
    Kexi, 969
    OpenOffice.org Base, 948, *949*
Datagram Congestion Control Protocol, 372
Date & Time applet (KDE), 929, *929*
date and time, setting, **412–413**
Date/Time Properties tool, *412*, 412–413
Dbase, 949
dc (domain component), 670
dd command, 48, 118, 420
dd command (vi), 217, 219
ddcprobe command, 830, *831*
deactivating, user accounts, 279
debuglevel directive (yum), 301
default bootloader, 160, *161*
default command (isolinux.cfg), 51
default configuration files, **324–333**
    bootloader, *328*, **328–330**
    /etc/inittab file, *330*, **330–332**
    /etc/modprobe.conf file, **326–327**
    hardware detection, **324–326**
    listing modules, *327*, **327–328**
    starting runlevel, **332–333**
default desktop, 193
default operating system, selecting, 135
default printer, in GNOME, 867
<default> tag (comps.xml), 164
default variable (GRUB), 329
DefaultCharset variable (CUPS), 581
DefaultDepth directive (xorg.conf), 846
DefaultLanguage directive (Apache), 745
DefaultLanguage variable (CUPS), 581
DefaultType directive (Apache), 739
define command (sendmail.mc), 600–601
deleting
    directories, 209
    files and directories, **206–207**
    files in /tmp and /var/tmp directories, 394
    jobs from at queue, 396
    partition or volume group, 67, *68*
    partitions during install, 64, *66*
    print jobs from queue, 592
    RPM packages, **298**
    rules in iptables FORWARD chain, 493
    text in vi, 217
    user accounts, **279–280**
Deny command (CUPS Location directive), 588
dependencies, **297**
Desktop Environments category of package groups, 85
Desktop Sharing applet (KDE), 913
    sound for, 927
Desktop Switcher window, 834, *835*, 867, *867*
desktops, 835, 839
    default, 193
    in KDE, *909*, **909–911**
    Linux on, **17**
/dev directory, 224
Development category of package groups, 87–88, *88*
Development Libraries package group, 87, 168
Development repository, 300
Development Tools package group, 87, 168, 358
device command (Kickstart), 184
device drivers
    availability, for Winmodems and Winprinters, 31
    collecting, **36**
    experimental, 364
    in Linux+ certification exam, 783
    proprietary for wireless, 476
Device Drivers kernel menu, *372*, **372–386**, *373*
Device Independent (DVI), 975–976

09993.book Page 1089 Thursday, June 1, 2006 11:09 PM

DEVICE variable, 473
df command, 194–195, 237–238
  output, *238*
dhclient command, 116, 560
dhclient package, 166
DHCP (Dynamic Host Configuration Protocol), 446, 537
  support for, 371
DHCP server, 79, 461
  configuring, **116**
  diskless workstation configuration, **531–532**
  hardware routers with, 124
  and remote networks, **559**
  sample configuration file, 532
  setting up, **556–559**
  starting, **559**
  for text mode install, 123
dhcpd.conf configuration file, IP address configuration, 532
dhcrelay daemon, 556
Dia, **963**, *963*
Dialup Networking Support package group, 90, 167, 168, 960
dictionary
  access to online, 940
  in GNOME, 883, *884*
differential backup, 418, 422
dig command, *548*, 548
digiKam, 980
Digital Camera applet (KDE), 921, *921*
digital cameras, 980
digital signature algorithms (DSA), 486
dir command (FTP), 637
directives, in Apache configuration file, 727
directories
  adding to path, 256
  bash shell commands to view, 93
  basic structure, **224–226**
  copying, 205
  creating, 208–209
    shared, **290–291**
  for cron jobs, **395**
  deleting, **206–207**, 209
  displaying list, 202–204
  mounting, **239–240**
  order of searching, 392
  searching for files, 214
  sharing, for installing Linux over network
    on Apache server, **109–110**
    with FTP server, **111–112**
    using NFS server, **105–106**
  for SRPMs, 312
  structure for Fedora Core installation files, 104
  on website
    limiting access to, 736
    web page setup, 737–738
Directory Options window (Apache), *769*, 769
DirectoryIndex directive (Apache), 738
disabling unneeded services, **484–485**
.discinfo file, 105, 108, 623
Disk Defragmenter, 27
Disk Druid, 64, 227
  for partition setup, *66*, **66–74**
    adding partition, 68–69
    deleting partition or volume group, 67, *68*
    editing partition, 69, *70*
    exiting Disk Druid, 74
    LVM volume group creation, 72–73
    partition table display, *74*
    RAID, *71*, 71–72
    resetting partition table, 69–70
  in text mode, 128, *129*
disk mirroring, 431
disk striping with parity, 431
diskboot.img file, 118
  converting to files on USB key, 49
  for text mode install, 121
  USB key based on, 48
diskless workstation, 519
  booting, **535**
  directory for, 225
diskless workstation configuration, **530–535**
  DHCP server configuration, **531–532**
  directory setup on server, **531**
  Fedora Core Network Installation and Deskless Environment tool, **533–535**
  NFS configuration, **532**
  TFTP (Trivial File Transfer Protocol), **531**
Display applet (KDE), 921, *921*
display command (isolinux.cfg), 51
DISPLAY environment variable, 256
display manager, 839
Display Settings window, Hardware tab, 831–832, *832*
DisplaySize directive (xorg.conf), 846
distcache package, 726
divert command (sendmail.mc), 600
DMA addressing, disabling, 59

09993.book Page 1090 Thursday, June 1, 2006 11:09 PM

dma file, 41
dmesg command, 324–325, *325*
dmesg file, 402
dn (distinguished name), 670
dnl, for comments in sendmail.mc, 600
DNS (Domain Name System), 446, 537
  clients, **555–556**
  concepts, **539**
  database files, **543–547**
    domain zone files, 545–547
    localhost zone files, *544*, 544–545
  SELinux protection for, 507
  server configuration, **537–550**
    /etc/named.conf file, 540–543, *541*
    initial configuration, **539**
    packages, **538**
  servers, **456–457**
    caching-only nameserver, **549–550**
    forwarding server, **549**
    slave server, **550**
    starting and testing, **547–549**, *548*
    zones of authority, 542
DNS Name Server package group, 89, 168
DNS Server Options window, 553, *553*
dnsdomainname command, 456
DocBook format, 167
documentation
  in Linux+ certification exam, 783
  in LPI Level II exam, 789
DocumentRoot command (Apache), 757
DocumentRoot directive (Apache), 735, 766
DocumentRoot directory, default permissions, 736–737
DocumentRoot variable (CUPS), 581
dollar sign ($), as command prompt, 208
domain, 681
domain command, 665
domain master directive, 696
domain mode for Samba security, 693
Domain Name System (DNS). *See* DNS (Domain Name System)
domain zone files, 545–547
domainname command, 456, 661, 665
domains, **438–439**
domaintable file (sendmail), 599
dotted-decimal format, 447
double quotes (“), 262–263
Dovecot service, 171, 595, **610–611**
  RPM packages, 610
downloading
  CUPS (Common Unix Printing System), 572
  from fedora.redhat.com, mirrors, 299
  installation DVDs/CDs, **51–53**, *53*
  log of, 643
  RPM packages, 296
  sources for kernel, **350–351**, *351*
  using rsync servers, 29
Dr. Geo, 935
Draw (OpenOffice.org), *952*, **952–954**
DRI directive (xorg.conf), 846
Dries repository, 307
Driver directive (xorg.conf), 846
drivers. *See* device drivers
DROP option for secure services, 515
DSA (digital signature algorithms), 486
du command, 237–238
dual-boot configuration, 21, *24*, 24
  and hard drive setup, 64
  and password protection, 486
Duke University, 301
dump command, **422–424**, *423*
dump-file directive, 540
dumpe2fs command, 238, 241
DVD
  burning image, **427–429**
  formatting, 428
dvdrecord command, 427–428
dvd+rw-format command, 428
dvd+rw-tools command, 427–428
DVI (Device Independent), 975–976
dw command (vi), 217, 219
Dynamic Host Configuration Protocol (DHCP), 446, 537

E

e-mail. *See also* mail services
  allowing through firewall, 181
  graphical, 612
e-mail addresses, disallowing anonymous for FTP, 645
e2fsprogs package, 165
e2label command, 238
Easy Software Products, 564
Eclipse package group, 87, 168
ECOFF (Extended COFF), 369
Edit A Print Queue dialog box, 568
editors. *See also* text editors
  interactivity and, **252–253**

09993.book Page 1091 Thursday, June 1, 2006 11:09 PM

Editors package group, 86, 169
edquota command, **288–289**
EFI shell (Extensible Firmware Interface), Fedora Core support for, 32
egrep command, 213
Ekiga, 889, *890*
ELF (Executable and Linkable Format), 369
elinks, 172
elm (mail client), 612
Emacs (editor), 169, **220**, *220*
Emacs package group, 169
EmbedJS applet, 933
empty file, setting up, **204–205**
enabled directive, 304
EnableMMAP directive (Apache), 739, 741
EnableSendfile directive (Apache), 739, 741
encrypted password, copying, 279
encryption, **485–486**
  CUPS support for, 583
  of passwords, 964
  of private key, 759
Encryption command (CUPS Location directive), 588
EndSection directive (xorg.conf), 847
EndSubSecton directive (xorg.conf), 847
Engineering and Scientific package group, 86, 169
Enlightenment, 835
entry (LDAP), 670
Entry-level Server, Red Hat Enterprise Linux ES, 5
env command, 256
environment variables, 253, **256**
  shell variable exported as, 255
equations, *958*, 958
Equifax, 758
error checking, 441
error code for website, changing, *766*, 766
Error Detection and Reporting submenu, 385
error messages
  in automatic rescue mode, 337
  must be authenticated, 486
  rndc: connect failed: connection refused, 547
  on web server, 747–749, *748*
  when making multipe links, last argument ..., 356
ErrorDocument directive (Apache), 748, 766
ErrorLog command (Apache), 757
ErrorLog directive (Apache), 739
ES (Entry-level Server) Red Hat Enterprise Linux, 5
Esc command (vi), 219
escaping character with backslash, 262
/etc/aliases file (Postfix), 608
/etc/aliases file (sendmail), 598
/etc/anacrontab file, 395
/etc/at.allow file, 396
/etc/at.deny file, 396
/etc/auto.net directory, 245
/etc/auto.smb directory, 245
/etc/bashrc file, 253, 254
/etc/cron.allow file, 395
/etc/cron.daily/mlocate.cron script, 215
/etc/cron.deny list, 394, 395
/etc/crontab file, 392
/etc/cups/cupsd.conf file, 568, **578–589**
  AutoPurgeJobs variable, 582
  BrowseAllow command, 587
  BrowseInterval variable, 586
  BrowseOrder variable, 587
  BrowsePoll variable, 586
  BrowseRelay variable, 586
  BrowseShortNames variable, 586
  BrowseTimeout variable, 586
  ClassifyOverride variable, 581
  DefaultCharset variable, 581
  DefaultLanguage variable, 581
  DocumentRoot variable, 581
  FileDevice variable, 589
  HideImplicitMembers variable, 589
  HostNameLookups, 584
  ImplicitClasses variable, 589
  KeepAlive On variable, 584
  <Location /> containers, 587–588
  log file variables, 579–581
    MaxLogSize variable, 580
  MaxClients variable, 584
  MaxClientsPerHost variable, 585
  MaxCopies variable, 582
  MaxJobs variable, 582
  MaxJobsPerPrinter variable, 582
  MaxJobsPerUser variable, 582
  MaxRequestSize variable, 585
  PreserveJobHistory variable, 582
  print jobs, management, 582–583
  PrintcapGUI variable, 583
  RemoteRoot variable, 584
  RequestRoot variable, 579
  RIPCache variable, 583
  RootCertDuration variable, 583
  security printouts, 581

09993.book Page 1092 Thursday, June 1, 2006 11:09 PM

ServerCertificate variable, 583
ServerKey variable, 583
ServerName variable, 579
ServerRoot variable, 579
SystemGroup variable, 587
Timeout variable, 585
/etc/cups directory, 577
/etc/dhcpd.conf file, 532, **556–558**, *559*
/etc directory, 224, 271
/etc/dovecot.conf file, 610
/etc/exports configuration file, 105, 532
shared NFS directories
listing, 649
specifications, 650
/etc/fstab file, *242*, **242–243**
to activate quota options, 287–288
configuring Samba shares in, 685
/etc/gpg/rpm-gpg/RPM-GPG-KEY*, 314
/etc/group file, 271, *274*, 274, 278
and GUI User Manager display, 283
/etc/gshadow file, 274–275, *275*, 285
/etc/host.conf file, 457
/etc/hosts file, **456**, 537, 555
/etc/hosts.allow file, 524–525
/etc/hosts.deny file, 524–525
/etc/httpd/conf directory, 727
/etc/httpd/conf.d directory, Apache configuration files, 754–755
/etc/httpd/conf.d/ssl.conf file, commands, 756–757
/etc/inittab file, *330*, **330–332**
/etc/ldap.conf file, 675
/etc/login.defs file, 271, 276, *276*
/etc/mail file, 598–599
/etc/mail/sendmail.cf file, 597, 599–605, 607
/etc/modprobe.conf file, 324, **326–327**
/etc/motd file, 177
/etc/named.conf file, 538, 540–543, *541*
/etc/nsswitch.conf file, **668–669**, 675
/etc/openldap/sldap.conf file, **670–672**
/etc/pam.d directory, 487
/etc/pam.d/su file, 285
/etc/passwd file, 271, **272**
converting to /etc/shadow file, 286
and GUI User Manager display, 281
text editor to add user to, 278
for user configuration, *272*
/etc/postfix directory, 608
/etc/printcap file, 583, 591
/etc/profile file, 253
/etc/rcd/init.d directory, 856
/etc/rc.d/init.d directory, scripts in, *397*, **397–398**
/etc/rc.d/init.d/ *script* status command, 527
/etc/rc.d/rc.sysinit, and quotas, 287
/etc/rc.d/rc.sysinit startup script, quota checking and activation commands, 289
/etc/rc.sysinit script, 411
/etc/redhat-release file, 98
/etc/resolv.conf file, **456–457**, 555
/etc/samba/smb.conf file, 679, 687–688, **690–704**
default global settings, **698–699**
default share settings, **704**
global settings, **690–698**
basic network type, 691–692
browsing, 695–696
case management, 697–698
customizing Samba by computer, 694–695
domain users and groups, 697
guest accounts, 692
IP address limits, 692
log files, 692–693
logon management, 696
mapping users, 694
network interfaces, 695
password settings, 693–694
performance management, 695
printers as shared items, 692
security modes, 693
WINS (Windows Internet Name Service), 696–697
logon directories, **703–704**
share configuration, **699–702**
[homes] share, 699–700
[public] shares, 701–702
[tmp] share, 700–701
private directory, 702
shared directory for computer, 702
sharing printer, **702–703**
/etc/samba/smbpasswd file, 679, 689
/etc/samba/smbusers file, 679
/etc/services file, *443*
/etc/shadow file, 271, 273, *273*, 278, 285
converting /etc/password file to, 286
/etc/skel directory, 271, *275*, 275–276
/etc/squid/squid.conf file, 771–772
/etc/ssh/sshd_config file, 527
/etc/sudoers configuration file, 228, **283–284**
/etc/syscnfig/iptables file, 499

09993.book Page 1093 Thursday, June 1, 2006 11:09 PM

/etc/sysconfig/clock file, 412, 413
/etc/sysconfig directory, 456
/etc/sysconfig files, **560**
/etc/sysconfig/keyboard file, 43
/etc/sysconfig/named file, 540
/etc/sysconfig/network file, 453, 457, 661, 665
/etc/sysconfig/selinux file, 503
/etc/sysconfig/sendmail file, 598
/etc/sysctl.conf file, 411
/etc/syslog.conf file, 400, *401*
/etc/udev directory, 325
/etc/vsftpd/banned_emails file, 645
/etc/vsftpd directory, 641
/etc/X11/xorg.conf file, 829, 834, 841, **845–852**
  Device section, 850–851
  DRI (Direct Rendering Interface), 852
  Files section, 848
  InputDevice section, 849
  Module section, 849
  Monitor section, 850
  Screen section, 851
  ServerLayout section, 848
/etc/xinetd.conf file, *520*, **520–521**
/etc/xinetd.d directory, 519, 520, 590
  limiting access through, 530
/etc/xinetd.d/tftp configuration file, 118
/etc/yp.conf file
  for NIS clients, 666–667
  revising, 665
/etc/ypserv.conf file, 660
/etc/yum/pluginconf.d/installonlyn.conf file, tokeep directive, 345
/etc/yum.conf configuration file, **301–302**, 620
/etc/yum.repos.d/ files, **302–304**
Ethereal, 512
  sniffing with, **513**
ethereal-gnome, 172
Ethernet, 377, 438, 445
  configuring, 464–465
Evolution, 17, 169, 960, **963–964**
  configuration windows, *615*, 615–616
  in GNOME, 887, *889*
  and Transport Layer Security (TLS), 604
Evolution databases, 949
exactarch directive (yum), 302
exclamation point (!), to recall recent command, 252
Executable and Linkable Format (ELF), 369
Executable File Formats kernel menu, 369, *370*
execute (x) permission for file, 211–213
Exim, 596
experimental device drivers, 364
  for wireless networks, 476
expert command (isolinux.cfg), 51
expiry command (localhost.zone file), 545
export command, for shell variable, 255
exportfs command, 652
exporting, shared directory, 105
ext2 (second extended filesystem), 235
  converting to ext3, 237
ext3 (third extended filesystem), 235
  converting ext2 filesystem to, 237
  creating, 237
extended partitions, 22, 227
Extensible Firmware Interface (EFI shell), Fedora Core support for, 32
extensions, for file names, 209
Extras Development repository, 301
Extras repository, 300
EXTRAVERSION variable, 356, 364, 387

F

Fast Ethernet, 445
fault tolerance, from RAID, 430
fax machine, print job configuration for, 583
fdisk command, 25
  for adding partitions, **227–230**
    to existing drive, 229–230
    to new drive, *227*, 227–229
  available partition systems, *231*
  options in, 228
  for RAID array partition, 432
FDISK.EXE (Microsoft), 25
FEATURE command (sendmail), 602
Fedora Core Authorization Configuration tool, *676*, **676–677**
Fedora Core BIND Configuration GUI tool, 538
Fedora Core Boot Configuration tool, 160
Fedora Core Content Accelerator, 724
Fedora Core Development repository, 623–624
Fedora Core Extras repository, 623
Fedora Core GUI Apache tool, **762–771**, *763*
  server configuration, **769–770**, *770*
  setting main parameters, **763–764**
  virtual hosts configuration, **764–769**
    environment variables, *767*, *768*
    general options, 764, *765*
    logging, *767*, 767

09993.book Page 1094 Thursday, June 1, 2006 11:09 PM

Page options, *765*, 765–766
performance, *768*, 768–769
Secure Sockets Layer (SSL), *766*, 766–767
Fedora Core Hardware Browser, 41, **42**, *42*
Fedora Core installation CDs, Anaconda access to, 93
Fedora Core Installation screens, 143
Fedora Core Keyboard tool, **42–43**, *43*
Fedora Core Linux, 3
architecture support, **31–32**
basics, **4**
custom kernels, 346–347
documentation, 178
new features, **6–7**
platforms for, 11
Fedora Core Mail Transport Agent Switcher, 597
Fedora Core Network Configuration tool, **463–465**
Fedora Core Network Installation and Diskless Environment tool, 113, 530, 533
Fedora Core NFS Server Configuration tool, *653*, **653–656**
Fedora Core Package Management tool (pirut). *See also* pirut utility
use over network, 105
Fedora Core Printer Configuration tool, *565*, **565–568**
Fedora Core project, repositories, 299
Fedora Core Samba Server Configuration Tool, **718–720**
creating share, 720
server settings, 718, *718*
user management, **719**, *719*
Fedora Core Security Level tool, **499**
Fedora Core Setup Agent, 193
Fedora Core Updates repository, 305
fedora-core.repo file, 302, **304**, *304*
fedora-development.repo file, 302, **306**
fedora-extras-development.repo file, 302, **306**
Fedora Extras repository, 28, 235, 305
fedora-extras.repo file, 302, *305*, **305–306**
fedora-legacy.repo file, 302, **306–307**
Fedora Project, 4
fedora-updates-testing.repo file, 303, **306**
fedora-updates.repo file, 303, **305**, *305*
fedora.redhat.com, downloading from, mirrors, 299
fg command, 259
FHS (Filesystem Hierarchy Standard), **223–226**
File Associations applet (KDE), 919
file command, **209**
file descriptors, and data streams, 258
file formats
for AbiWord, 961–962
for Gnumeric, 965–966
for KSpread, 973
for KWord, 974–975
for OpenOffice.org Calc, 951
for OpenOffice.org Draw, 953–954
for OpenOffice.org Impress, 956
for OpenOffice.org Writer, 957–958
File Management applet (GNOME), 872, *873*
File Manager applet (KDE), 919
"File not found" error, 747–749, *748*
File Sharing applet (KDE), *913*, 913
File Systems kernel menu, 386
File Transfer Protocol (FTP), 103, 635. *See also* FTP (File Transfer Protocol)
file type, displaying, *209*, 209
FileDevice variable (CUPS), 589
filename extensions, mapping to specific handler, 747
files
disk space used by, 237–238
displaying list, 202–204, *203*
KDE tools for managing, 931–932
searching contents, 215
verifying, **315–316**
files command, 661
Files directive (Apache), 738
Filesystem Hierarchy Standard (FHS), **223–226**
in Linux+ certification exam, 780
filesystem package, 165
filesystems
Automounter for, **243–246**
local setup, **244–245**
network setup, **245**
basic Linux formats, **236**
configuring formats, 385
in LPI Level 1 exam, 787
on Red Hat exams, 818
troubleshooting, **240–242**, *241*
unmounted, fstab configuration file to check, 337
filter table for iptables, 492
find command, 213, **214**, 216
finger command, 669
FIPS (First Interactive Partition Splitter), 25, 26
partition table, *28*

09993.book Page 1095 Thursday, June 1, 2006 11:09 PM

Firefox (web browser), 17, 169
configuring for proxy service, *773*
downloading DVD ISO file with, 52
firewall, 483, **487**
allowing SSH Access through, *853*
and Apache, 109, 762
configuring in First Boot process, *148*, **148–149**, *149*
creating, **490–498**
as chains, 490–491
data directions, 490
inserting rule, 497–498
iptables default parameters, 495–496
iptables format, *491*, 491–492
iptables options, 492–493
iptables patterns, 493–495
saving configuration changes, 498
and FTP server access, 646, *647*
Linux install over network and, 106, 112, **144**
multiple, *487*
rebuilding, **501**
and remote logging, 406–407
on Samba server, 705
starting computer without, 496
and Telnet access, 523
troubleshooting, 821
using IPv6, 450
xinetd, **525–526**
firewall command (Kickstart), **181**, 184
Firewall Configuration menu (Kickstart Configurator), **191–192**, *192*
FireWire, 25, *377*
compatibility issues, 34
First Boot process, 93, **145–146**, *146*
Date and Time window, **151–153**, *152*
default bootloader, 160, *161*
language choices, **159**, *160*
licensing and security, **146–150**
Fedora Core license, 146–147, *147*
firewall configuration, *148*, **148–149**, *149*
Security Enhanced Linux (SELinux), **150**, *150*
sound card detection, **157**, *157*
System Control Center, 160–161, *161*
text mode, **157–159**, *158*
user account creation, *155*, **155**
video adapter configuration, **153**, **155**
First Time Druid, for PXE Boot server configuration, **113–114**, *114*
firstboot utility, 80
floppy disk, as boot disk, 334
kernel size and, 356
floppy drives
for backups, 418
booting from, 48
Kickstart installation from, 196
Font Installer applet (KDE), 929
Font Preferences program window (GNOME), 872, *873*
FontPath directive (xorg.conf), 847
fonts
for KDE desktop, 906
for language support, 173
Fonts applet (KDE), 917
foomatic package, 570
ForceLanguagePriority directive (Apache), 747
formatting DVD, 428
forward slash (/), 261–262
for absolute path, 204
forwarding DNS server, 539, **549**
FQDN (fully qualified domain name), 438, 537
looking up, 548
frame synchronization, 441
free command, **408–409**
Free Software Foundation, 3, **12**, 231, 251
frequencies, for video adapter signals, 31
FreshRPMS repository, 307
fs file (X), 841
fsck command, 240–241
fstab configuration file, to check unmounted filesystems, 337
FTP (File Transfer Protocol), 103, 635
security and, **646–647**
SELinux protection for, 505
FTP client, **635–641**
anonymous connections, 637
commands, *636*
connecting to ftp.redhat.com, **637–638**
GNOME, **639–640**
KDE, *640*, **640–641**
starting, **636–637**
ftp localhost command, *637*
FTP server
allowing connections through firewall, 181
installing Linux from, 124, *125*
Kickstart commands for installing Fedora Core from, 178

09993.book Page 1096 Thursday, June 1, 2006 11:09 PM

preparing for Linux install over network, **110–112**
user privileges to, 284
Very Secure FTP server (vsFTP), **641–647**
configuration files, **641–646**
FTP Server package group, 89, 169
ftpsecure user, 644
ftpusers file, 641
full backup, 423
fully qualified domain name (FQDN), 438, 537
Fusion MPT Device Support menu, 376
fvwm window manager, 835
fvwm95 window manager, 835
Fx *option*.msg command (isolinux.cfg), 51

G

G command (vi), 217, 219
Galeon web browser, 960
in GNOME, 887, *889*
game manufacturers, 17
Games and Entertainment package group, 86, 169
games, in GNOME, **886**
gateway, 453, **461**
firewall on, 487
for network adapter, 190
GATEWAY variable, 473
gcc package, 168, 357
gdm log file, 405
GDM Login Window Preferences dialog box, *837*
gdmsetup command, 837
gedit program (GNOME), *885*, 885
General Boot Help menu, 58–60, *59*
General Public License (GPL), 11, 12
General Setup kernel menu, **364**, *365*
generic file (Postfix), 608
generic kernel, 344
genkey command, 758–759
get command (FTP), 637
gFTP command, 639
client, *639*
Ghostscript Viewer, *886*
Ghostview Postscript/PDF viewer, 976
Gigabit Ethernet, 438, 445
Gigabit Ethernet network adapters, 378
GIMP, 170, 960, **981**, *981*
gimp-print-cups package, 570
git repository, 364
glib2-devel package, 357
glib2 package, 357
glibc-devel package, 357
glibc-kernheaders package, 357
glibc package, 165
global variables, in Samba, 698–699
globbing, 261
GMT (Greenwich mean time), 81, 138
GNOME, 7, 835, *836*, **836–837**
accessories, **881–885**, *882*
Archive Manager, 881, *882*
calculator, 882, *883*
Character Map, 883, *883*
Dasher application, 883, *884*
dictionary, 883, *884*
gedit program, *885*, 885
Password Generator, 884, *884*
Take Screenshot tool, 884, *885*
Terminal, 884
VNC Viewer, 885, *885*
Applications menu, *861*, **861–862**
basic interface, **857–880**, *858*
panel icons, 859
panels, *858*, **858–859**
switching between applications, *860*
workspaces, 858, *859*, **859**
command-line interface, 860
FTP client, **639–640**
games, **886**
graphics applications, **886**
Internet applications, **887–890**, *888*
Blogger Preferencs application, 887, *888*
Evolution (mail manager), 887, *889*
Galeon web browser, 887, *889*
Internet Messenger, *888*
IP telephony and VOIP, 889
IRC (Internet Relay Chat), 890, *891*
Kickstart xconfig settings, 180
log file graphical viewer, **407–408**
Places menu, *862*, **862–863**
sound and video applications, **890–893**, *891*
CD player, 891–892
GNOME Baker, *892*, 892
Grip, 892, *893*
Helix Player, 893, *894*
Rhythmbox, 893, *894*
System menu, **862–880**, *863*
system tools, **894–896**, *895*
Bluetooth devices, 894
File Browser, 895, *896*

09993.book Page 1097 Thursday, June 1, 2006 11:09 PM

GNOME configuration editor, 894, *895*
network tools, 896, *897*
time display, **860**
GNOME Baker, 892, *892*
GNOME-DB, 960
GNOME Desktop Environment package group, 85, *85*, 169
GNOME Ghostview, 976
GNOME Office, **960–967**
AbiWord, *961*, **961–962**
Balsa, *962*, **962–963**
Dia, **963**, *963*
Evolution, **963–964**
GnuCash, *965*, **965**
Gnumeric, **965–966**, *966*
Imendio Planner, **966–967**
GNOME Software Development package group, 87, 169
gnome-system-log command, 401, 407
Gnomemeeting, 889
GNU General Public License (GPL), 11, 12, 146
GNU, in LPI Level 1 exam, 786
GNU Network Object Model Environment. *See* GNOME
GNU Privacy Guard (GPG), 314, 486
GNUcash, 17
GnuCash, 960, **965**, *965*
Gnumeric, 960, **965–966**, *966*
Google, 18
GParted tool, 26
Gperiodic utility (KDE), 936
GPG (GNU Privacy Guard), 314
gpgcheck directive (yum), 302, 304
gPhoto2 developers, 33
GPL (General Public License), 11, 12, 146
GQ Image Viewer, 978, *978*
Gracenote, 866
GRand Unified Bootloader (GRUB), 76, 224, 324
advantages, 328
inspecting, **387–388**
password for, 330, 486
starting single user mode from, 339, *340*
updated bootloader, *349*
graphical applications, **975–982**
document readers, **975–978**
in Red Hat exams, 823
graphical e-mail, 612
graphical installation
documenting screens, 62, 94
system check for requirements, 61
Graphical Internet package group, 169–170
graphical login, runlevel and, 331
graphical user interface (GUI). *See* GUI (graphical user interface)
graphics applications, in GNOME, **886**
graphics cards
compatibility issues, 34
Fedora Core recommendation, 36
graphics-detection messages, for troubleshooting local install, 95–96
graphics, in Kickstart configuration file, **179–180**
Graphics package group, 86, 170
Graphics Support menu, 382
Greenwich mean time (GMT), 81, 138, 413
grep command, 213, **215**, 408
Grip (GNOME), 892, *893*
Group directive (Apache), 734
Group directive (xorg.conf), 847
group passwords, converting, 286
<group> tag (comps.xml), 164
groupdel command, 280
grouping packages. *See* comps.xml file
groups, 271
quotas for, **286–290**
user private groups, **290–291**
Groupwise, 949
growisofs command, 428
grpconv command, 279
GRUB (GRand Unified Bootloader), 76, 224, 324
advantages, 328
inspecting, **387–388**
password for, 330
grub-md5-crypt command, 330
grub package, 165
grub.conf file, 98, 348
gThumb Image Viewer, *886*, *979*, 979
GTK+, 169
GTK+-based menu, *361*, **361**
gtk2-devel package, 169
gtk+2.0 package, 357
guest accounts, in Samba, 692
GUI (graphical user interface), 829, 839
vs. command-line interface, 277
desktops. *See* GNOME; KDE (K Desktop Environment)

09993.book Page 1098 Thursday, June 1, 2006 11:09 PM

front end to administrative tools, 160–161, *161*
potential problems starting, 340
starting different, 834
GUI Kickstart Configurator, **185–194**
Authentication Configuration menu, **190–191**, *191*
Basic Configuration menu, *185*, **186**
Boot Loader Options menu, *187*, **187–188**
Firewall Configuration menu, **191–192**, *192*
Installation Method menu, **186–187**, *187*
Network Configuration menu, *190*, **190**
Package Selection menu, 193, *193*
Partition Information menu, *188*, **188–189**
Post-Installation Script menu, **194**
Pre-Installation Script menu, **193**
X Configuration menu, *192*, **192–193**
GUI Logical Volume Management tool, **248–250**, *249*
GUI logs, **407–408**
GUI User Manager utility, *281*, **281–283**
Guppi, 966

H

h command (vi), 219
hackers, 403
hal-cups-utils package, 570
hal-devel package, 169
hard disk drives, 375, *375*. *See also* Logical Volume Management (LVM); partitions
adding with parted utility, **232–234**
BIOS and, 39–40
boot order, 38, 40
free space, 237–238
managing existing with parted utility, **234**
minimum requirements, 7
preparing local, for Linux install over network, **112–113**
quotas, **286–290**
SCSI, **40**
setup when installing Linux locally, **64–65**, *65*
space for local repository, 619–620
space requirements, 132
hard limit for quota, 288–289
hard link, 207
harddrive command, in Kickstart configuration file, 178
hardware, **30–32**
basic requirements, **4–9**
compatibility, **32–35**
categories, 32, *33*
certified hardware, 33
questionable hardware, **33–35**
costs of problems, **30–31**
creating checklist, **35–38**
driver collection, 36
information collection, 36
detection, **324–326**
drivers from manufacturers, 36
initializing, **323–324**
and kernel, 325
in Linux+ certification exam, 783–784
in LPI Level 1 exam, 785–786
non-plug-and-play, 40
post-installation configuration, **41–44**
/proc directory, 41
Hardware Abstraction Layer (HAL), 373–374
Hardware Abstraction Layer daemon, 44
hardware address, for network adapter, 439
Hardware Compatibility HOWTO, 33
hardware compatibility list (HCL), 21
hardware-detection messages, for troubleshooting local install, 97
Hardware Monitoring Support menu, 381
Harvest Cache, 771
hash mark (#), for Samba comments, 690
hdparm package, 165
head command, **210**
header on printed page, 581
header_checks file (Postfix), 608
HeaderName directive (Apache), 745
headers, for yum, 622
Helix Player (GNOME), 893, *894*
helpfile file (sendmail), 599
Hesiod, 191
hexadecimal notation, converting IPv4 addresses to, 449
hfs-utils package, 166
hidden files
displaying list, 203
viewing, 254
HideImplicitMembers variable (CUPS), 589
history command, 252
history, of past job spool files, 582
History Sidebar applet (KDE), 917
HISTSIZE environment variable, 256
home directory, 224
of current user, tilde (~) in bash shell for, 260
space requirements, 133

09993.book Page 1099 Thursday, June 1, 2006 11:09 PM

HOME environment variable, 392
horizontal frequency, Kickstart xconfig settings, 180
HorizSync directive (xorg.conf), 847
host command, 547
hostname command, **455–456**
HOSTNAME environment variable, 256
hostname resolution, on Red Hat exams, 818
HostnameLookups directive (Apache), 739
HostNameLookups variable (CUPS), 584
hostnames, 439
  for TCP Wrapper, 525
hosts allow command, 692
HP-UX, 11
hpijs package, 570
.htaccess files, **736**
HTML 404 error code, 747–749, *748*
htpasswd command, 760
HTTP daemon (HTTPd), 723
HTTP protocol, downgrading level for Internet Explorer, 758
HTTP Setup screen (text mode Linux install), *125*
httpd-manual RPM package, 726, 742
httpd package, 725
httpd service, 16
  SELinux protection for, 505–506, *506*
httpd.conf configuration file, 726, 727, 728
  client parameters, 730–731
  default permissions for DocumentRoot directory, 736–737
  error messages, 747–749, *748*
  global environment section, 728–729
  icons for file types, 744–745
  languages, 745–747
  main server configuration, 734–752
  module locations, 731–734
  Multi-Processing Modules, 730–731
  port settings, 731
  scripts on web server, 742–743
  status, 734
  system user, 734
hubs, 451, **452**
Human Interface Device (HID), 849
  interaction with Linux, 379
hyperthreading, disabling, 59

I

i (insert) command (vi), 218, 219
I2C support, 381
I2O (Intelligent Input/Output) architecture, 377
IANA (Internet Assigned Numbers Authority), 444
IBM RSA service processor, 382
IBM server platforms, Fedora Core support for, 32
IBM Thinkpad Laptop applet (KDE), 929
ICMP (Internet Control Message Protocol), 444
icons, KDE desktop themes, 907
<id> tag (comps.xml), 164
IDE drives, device files for, 39
ide file, 41
Identifier directive (xorg.conf), 847
IEEE 802.3 standard, 438, 445
IEEE 1394, 377
  Anaconda and, 24
  for backup connection, 419
  compatibility issues, 34
  Linux support for equipment, 31
IEEE (Institute of Electrical and Electronics Engineers), 371, 438
if conditional, 264
ifcfg-eth*n* configuration file, 468
ifconfig command, 107, 451, *454*, **454–455**
  for checking network card, **479–480**
ifrename command, 477
iLink, 25, 377
  compatibility issues, 34
image file, for writing to CD/DVD, 426
Image Index applet (KDE), 929
image viewers, **978–980**
IMAP (Internet Message Access Protocol), 595, 596
IMAP4 e-mail server, **611–612**
Imendio Planner, 960, **966–967**
.img file, writing to USB key, 118
ImplicitClasses variable (CUPS), 589
importing GPG public key, 314
Impress (OpenOffice.org), **954–956**, *955*
in-addr.arpa statement, 542
IN command (localhost.zone file), 545
include command (sendmail.mc), 600
incoming e-mail servers, **609–612**
  Dovecot service, **610–611**
  IMAP4 e-mail server, **611–612**
  POP3 e-mail server, **611**
incremental backup, 418, 422
IndexIgnore directive (Apache), 745
IndexOptions directive (Apache), 743
Industry Standard Architecture (ISA), 369
InfiniBand Support menu, 385

09993.book Page 1100 Thursday, June 1, 2006 11:09 PM

information queries, 294
init program, 8, 323, 332
initdefault varaible, 330
initialization, in LPI Level II exam, 788
initrd command (isolinux.cfg), 51
initrd variable (GRUB), 329
initrd.img file, 50
initscripts package, 166, 648
inodes, 206
Input Actions applet (KDE), 924, *924*
input devices, support for, 379, *380*
input, redirecting, 257–258
InputDevice directive (xorg.conf), 847
INPUTRC environment variable, 256
insert mode, in vi, **218**
insmod command, 358
install command (Kickstart), 177–178, 184
installation boot disk, creating, **48–49**
installation DVD, copying files to repository, 622–623
installation log, viewing, 95, 143
Installation Method menu (Kickstart Configurator), **186–187**, *187*
Installer Boot Options menu, *57*, 57–58, *119*, 120
installing
  Fedora Core upgrades, **344–347**, *345*
  in LPI Level 1 exam, 786
  RPM packages, **293–299**
  Secure Shell (SSH), **526–527**
installing Linux locally
  with Anaconda, **91–94**, *92*
  checking media integrity, **53–55**
    with mediacheck, 53, *54*, 55, *55*
    with sha1sum, 55
  configuring details, **74–82**
    Advanced Boot Loader Configuration, *77*, 77–78
    Boot Loader configuration, *75*, 75–76
    Network Configuration, *79*, 79–80
    root password, *82*, 82
    time zone, 80–82, *81*
  configuring parameters, **61–64**
  downloading installation DVDs/CDs, **51–53**, *53*
  graphical installation start, *61*
  hard drives setup, **64–65**, *65*
  with installation boot disk, **47–51**
    boot.iso file, **50–51**
    creating boot disk, 48–49
  package group details, **83–91**
    Applications category, *86*, 86
    Base System category, 90, *90*
    Desktop Environments category, 85
    Development category, 87–88, *88*
    Languages category, 91, *91*
    Servers category, 88–89, *89*
  package group selection, **82–83**, *83*
  partition setup with Disk Druid, *66*, **66–74**
    adding partition, 68–69
    deleting partition or volume group, 67, *68*
    editing partition, 69, *70*
    exiting Disk Druid, 74
    LVM volume group creation, 72–73
    partition table display, *74*
    RAID, *71*, 71–72
    resetting partition table, 69–70
  selecting prompt options, **56–60**, *57*
    General Boot Help menu, 58–60, *59*
    Installer Boot Options, *57*, 57–58
  troubleshooting with installation virtual consoles, **94–98**
    graphics-detection messages, 95–96
    hardware-detection messages, 97
    log files, 96–97
    system message log, 97–98
  upgrades, **98–101**, *100*
installing Linux over network
  preparing sources, **104–113**
    Apache server, **107–110**
    FTP server, **110–112**
    local hard drive, **112–113**
    NFS server, **104–107**
  PXE Boot server configuration, **113–118**
    adding hosts, **115**
    copying to TFTP server, **114**
    DHCP server configuration, **116**
    First Time Druid for, **113–114**, *114*
    starting boot server, **115–116**
    starting PXE network installation, *117*, **117–118**
  starting Linux network install, **118–143**
    boot disk creation, **118–119**
    text mode booting, **119–121**
    text mode procedure steps, **121–141**
    text mode upgrades, **141–143**, *142*
  troubleshooting, **143–144**
Instrumentation Support kernel menu, 386

09993.book Page 1101 Thursday, June 1, 2006 11:09 PM

Integrated Services Digital Network (ISDN) adapters, 379
integrity of install media, **53–55**
checking with mediacheck, 53, *54*, 55, *55*
checking with sha1sum, 55
Intelligent Platform Management Interface standard, 380
interactive command (Kickstart), 184
interactive mode, for Kickstart Configurator, 186
International Organization for Standardization (ISO), 173
Internet, 438
Internet
KDE parameters for, **912–917**
KDE utilities for, **936–940**
internet, 438
Internet applications in GNOME, **887–890**, *888*
Blogger Preferencs application, 887, *888*
Evolution (mail manager), 887, *889*
Galeon web browser, 887, *889*
Internet Messenger, *888*
IP telephony and VOIP, 889
IRC (Internet Relay Chat), 890, *891*
Internet Assigned Numbers Authority (IANA), 444
Internet Control Message Protocol (ICMP), 444
Internet development, Unix and, **9–11**
Internet Explorer
downgrading HTTP protocol level for, 758
and downloading ISO files, 52
Internet Message Access Protocol (IMAP), 595, 596
Internet Messenger, in GNOME, *888*
Internet Printing Protocol (IPP), **563–565**
Internet Protocol (IP), 437, 444
version 4, **446–447**
address bits, 447
address classes, **448**
version 6, 446, **448–450**
DAEMON_OPTIONS directive for, 604
Fedora Core support for, 449–450
firewall tool, 491
Internet Service Provider (ISP), 438
InterNetNews (inn), 171
Internetwork Packet Exchange/Sequenced Packet Exchange (IPX/SPX), 437
interrupts file, 41
inverse zone files, 542
ionode numbers, displaying in file list, 203
ioports file, 41
IP. *See* Internet Protocol (IP)
IP address, 438, **446–450**
of Apache server, 110
for FTP server, 112
leasing, *560*
limiting access to Samba, 692
loopback, 727
for network adapter, 190
for network device, setting, *80*
for NFS server, 107
patterns for iptables, 493–494
spoofing, 411
for text mode install over network, 123, *124*
IP masquerading, **501–502**
IP Netfilter Configuration submenu, 372
IP security protocol (IPsec), 473, **474–475**
IP Settings dialog box, 470, *470*
IP telephony and VOIP, in GNOME, 889
IP Virtual Server configuration submenu, 371
IPADDR variable, 473
ipchains command, 371
ipfwadm command, 371, 490
IPP (Internet Printing Protocol), **563–565**
IPsec (IP security protocol), 473, **474–475**
iptables, 483
iptables-based firewall, creating, 148
iptables command, 144, 490
actions, 495
connecting as chains, 490–491
data directions and, 490
deactivating, 491
default parameters, 495–496
deleting rules in FORWARD chain, 493
firewall example, 491
format, 491–492
inserting rule, 497–498
and NFS, 651
options, 492–493
patterns, 493–495
saving changes, 496, 498
iptables-save command, 498
iptables tool, 487
iputils package, 166
IPv6. *See* Internet Protocol (IP), version 6
IPv6 HOWTO, 449
IPv6: Netfilter Configuration submenu, 372
IPX/SPX (Internetwork Packet Exchange/ Sequenced Packet Exchange), 437, **442**
ipxutils RPM package, 442

09993.book Page 1102 Thursday, June 1, 2006 11:09 PM

IRC (Internet Relay Chat), 890, *891*
IRIX, 11
IRKick applet (KDE), 932
ISA (Industry Standard Architecture), 369
ISDN (Integrated Services Digital Network)
  adapters, 379
    configuring, 465
ISO character sets, 747
ISO image, 50
ISO (International Organization for Standardization), 173
ISO8859 font sets, 173
isoinfo file, 96
isolinux.cfg file, 50
    commands in, 51
ISP (Internet Service Provider), 438
Itanium CPU
    boot partition, 66
    booting, 48
    Fedora Core support for, 32
iwconfig command, 451, **477–479**, *478*
iwevent command, 477
iwgetid command, 477
iwlist command, 451, 477, **479**
iwpriv command, 477
iwspy command, 477

J

Jakarta language, 170
Java & JavaScript applet (KDE), 917
Java Control Panel (GNOME), 872, *873*, 874
Java Development package group, 87, 170
Java package group, 90, 167, 170
JDBC, 949
jfs (journaling filesystem), 235
Jigsaw web server, 724
joe (editor), 169, **220–221**, *221*
journaling filesystem (jfs), 235
Joy, Bill, 11
Joystick applet (KDE), 922
joysticks, configuring, 379
jukeboxes
    for backups, 417
    capacity, 419

K

K3b applet (KDE), 940
Kaboodle, 942
KAddressBook, *968*, **968**
KAlarm, 932
Kalzium utility (KDE), *936*, 936
Kanagram program, 934
Kandy utility (KDE), 932
Karbon14, *968*, 968
KArm utility, 933
kasablanca client, *640*, 640–641
Kate (editor), 931
KAudioCreator, 927, 940
KBruch, 935
KCalc utility (KDE), 931
KCharSelect (KDE), *933*, 933
KChart, 969, *969*
KColorChooser, 982, *982*
kcontrol command, 838
KCron applet (KDE), 943
KDat, 944
kdb package, 166
KDE (K Desktop Environment), 7, 29, 835, **837–839**, *839*
  basic interface, **899–904**, *900*
    KDE panel, *900*, 900–901
    main menu, **902–904**, *903*
    switching between applications, *901*
    workspaces and open programs, 901, *901*
  Edutainment, **934–936**, *935*
    languages, 934–935
    mathematics, 935
    science, 936, *936*
  FTP client, *640*, **640–641**
  KDE Control Center, **904–945**, *905*
    Appearance and Themes, *905*, **905–909**
    Desktop, *909*, **909–911**
    Internet & Network, *912*, **912–917**
    KDE Components, *918*, **918–919**
    Peripherals, *920*, **920–922**
    Power Control, **922–923**, *923*
    Regional & Accessibility, *923*, **923–924**
    Security & Privacy, **924–925**, *925*
    Sound & Multimedia, **925–928**, *926*
    System Administration, *928*, **928–930**
  utilities, **930–934**
    accessibility, 931
    desktop customization, 931
    editors, 931
    file management, 931–932
    Internet, **936–940**, *937*
    menus, *930*

09993.book Page 1103 Thursday, June 1, 2006 11:09 PM

peripherals, 932
personal informaiton management, 932–933
sound multimedia, **940–942**, *942*
system, **942–945**, *943*
KDE Accessibility tool, sound for, 927
KDE Desktop Environment Package Details window, 317–318, *318*
KDE Desktop Environment package group, 85, 170
KDE Groupware Wizard, 933
KDE Icon Editor, 979
KDE Screen Ruler, sound for, 927
KDE Software Development package group, 88, 170
KDE System Guard, sound for, 927
KDE System Notifications, sound for, 927
KDE Wallet applet (KDE), 925
KDEPrintFax utility, 932
KDiskFree utility, 945
kdm.log file, 405
KDVI Viewer, 976, *977*
KEdit (editor), 931
KeepAlive directive (Apache), 729
KeepAlive On variable (CUPS), 584
keepcache directive, and saving downloaded packages, 620
Kerberos, 191
SELinux protection for, 506
Kerberos category, 485–486
Kerberos Telnet, **522–523**
kernel, 7–8, **12–14**, 323
building modules, **356**
changing configuration, summary, 388–389
compressed (vmlinuz), 50
configuration menus, **357–362**
kernel RPM packages, 357–358
configuring, **13**, *13*, **411–412**
customizing, **352–356**
source code preparation, **353–355**
and hardware, 325
in LPI Level II exam, 788
making image, **355–356**
monolithic vs. modular, **13–14**
need for changing, **344**
patch, **351–352**
/proc filesystem, 13
and quota setting, 287
recompiling, 343
source code SRPM, **348–350**
download sources, **350–351**, *351*
setup, 351
top-level menus, **363–386**
Block Layer, 366, *367*
Bus Options, *369*, 369, *370*
Code Level Maturity Options, **364**, *365*
Cryptographic Options, 386
Device Drivers, *372*, **372–386**, *373*
Executable File Formats, 369, *370*
File Systems, 386
General Setup, **364**, *365*
Instrumentation Support, 386
Kernel Hacking, 386
Library Routines, 386
Loadable Module Support, **365–366**, *366*
Networking, 370–372, *371*
Power Management Options, *368*, 368–369
Processor Type And Features, 366–368, *367*
Security Options, 386
upgrades, **344–348**
installing newest Fedora Core Kernel, **344–347**, *345*
version numbers, 345
yum updates and, 310
kernel command (isolinux.cfg), 51
kernel-debugging messages, 59
Kernel Development package group, 358
Kernel Hacking kernel menu, 386
kernel log daemon, 400
kernel panic, 333–334, *334*
Kernel Parameter Help screen, 120, *121*
kernel SRPM, 357
kernel variable (GRUB), 329
kernel.org Internet sites, 350
Kexi, 969
keyboard
configuring, 379
in Kickstart Configurator, 186
Fedora Core Keyboard tool, **42–43**, *43*
in GNOME
customizing accessibility, 864, *865*
on-screen, 864
preferences, 874, *874*
Keyboard applet (KDE), 922
keyboard command (Kickstart), 178, 184
Keyboard Configuration screen, 62, *63*
Keyboard Layout applet (KDE), 924
Keyboard Shortcuts applet (KDE), 924

09993.book Page 1104 Thursday, June 1, 2006 11:09 PM

Keyboard Shortcuts window (GNOME), *874*, 874–875
KFileReplace tool (KDE), 931
KFontView, 933
KFormula, 969
KGet, 937
    sound for, 927
KGhostView, *976*, 976
KGpg tool, 933
KHangMan program, 934
KHexEdit utility (KDE), 932
Kickstart configuration file. *See also* GUI Kickstart Configurator
    analyzing default, **176–185**
        authentication options, **181–182**
        bootloader command, 179
        firewall, **181**
        graphics, **179–180**
        hard drive partition setup, **182–183**
        install command, 177–178
        keyboard command, 178
        lang command, 178
        langsupport command, 178
        network settings, **180**
        other commands, 184–185
        %packages command, **183**
        post-installation commands, **183**
        preinstallation commands, 177
        root password, **181**
        timezone directive, 179
    from boot disk, **194–197**
    default, 163
    in Red Hat exams, 823
    specifying, 117
    testing, **197**
Kid3 applet, 940
Kig program, 935
kill command, 408, **410**
kill script, 332–333
KInetD, sound for, 928
KInfoCenter applet (KDE), 943
Kiosk Admin Tool, 943
Kiten, 934
Kivio, 969
KJobViewer, 932
KJots utility, 933
KLaptop, 902
KLatin, 935
KLettres utility, 935
Klipper (KDE), 902, 931
klogd daemon, 400
KMag tool (KDE), 931
KMail, 937, *937*
    sound for, 928
KMid, 942
KMix (KDE Sound Mixer), 940
KMouseTool applet (KDE), 931
KMouth applet (KDE), 931
KmPlot program, 935
KNetAttach tool (KDE), 938
KNewsTicker, 940
KNode (newsgroup reader), 938
Knoppix, 26, 29, 227, 334
KNotes utility (KDE), 931
KOffice, **967–975**
    applications, 967
    KAddressBook, **968**, *968*
    Karbon14, 968, *968*
    KChart, 969, *969*
    Kexi, 969
    KFormula, 969
    Kivio, 969
    KOffice Workspace, *970*, 970
    Kontact, 970
    KOrganizer, 971, *971*
    KPlato, 971
    KPresenter, 971
    Krita, 971
    Kspread, *972*, **972–973**
    KThesaurus, 975
    Kugar, 975
    KWord, **973–975**, *974*
KOffice Workspace, 970, *970*
KolourPaint, *979*, 979
Kompose applet, 934, *934*
Konqueror (web browser), 17, *938*, 938, *939*
Konsole, 928
Kontact, 970
Konversation applet (KDE), 938
Kooka, 981
Kopete Messenger, sound for, 928
Kopete utility (KDE), 938, *939*
KOrganizer, *971*, 971
Korn (mail checker), 940
Korn shell, 251
Kover applet, 934, 941
Kpager (KDE), 931
KPalmDOC tool (KDE), 932

09993.book Page 1105 Thursday, June 1, 2006 11:09 PM

KPDF, 976
KPercentage utility, 935
Kphone, 938
KPilot utility, 932
KPlato, 971
KPPP, 938
KPPP Log Viewer, 940
KPresenter, 971
KRandR Tray, 943
krb5-workstation RPM package, 522
Krdc tool, 938
KRec utility, 941
Krecipes applet, 934
KRegExpEditor, 933
Krfb tool, 944
Krita, 971
ks command (isolinux.cfg), 51
KSayIt applet (KDE), 931
KsCD (CD player), 941, *942*
ks.cfg file, 194
KSirc, 928, 939
KSnapshot, 981
Kspread, *972*, **972–973**
KStars utility (KDE), 936
ksyms log file, 405
KSysGuard, *944*, 944
KThesaurus, 975
KTimer, 933
KTip (Kandalf), 931
KTouch program (KDE), 935
kttsmgr applet (KDE), 931
KTurtle program (KDE), 935
kudzu configuration tool, 41
Kudzu tool, *44*, 44
Kugar, 975
Kuickshow, 980, *980*
KUser (KDE User Manager), 944, *944*
Kverbos utility, 935
KVocTrain, 935
KWiFiManager, 940
KwikDisk tool, 945
KWord, **973–975**, *974*
KWordQuiz, 936
KWrite (editor), 931

L

l command (fdisk), 228
l (location in LDAP), 670
label command (isolinux.cfg), 51
labels
  for disks, 238
  in mount command, 240
  for partitions, fdisk for revising, **230–231**
LAN (local area network), 438
  configuring computer on, **453–458**
lang command (Kickstart), 178, 184
langsupport command (Kickstart), 178, 184
language
  configuring
    in First Boot process, **159**, *160*
    in Kickstart Configurator, 186
  educational tools for, 934–935
  for GUI, 843
  for web server error messages, 748
Language Selection screen, 62, *63*
LanguagePriority directive (Apache), 746
Languages category of package groups, 91, *91*
laptop computers
  compatibility issues, 34
  GNOME power management, 868
  KDE power control module, 902
lastlog file, 405
Launch Feedback applet (KDE), 907
LBA (Logical Block Addressing), 134, 226
LCD monitors, 833
LDAP Data Interchange Format (LDIF), 670
LDAP (Lightweight Directory Assistance Protocol), 191, 602, 659. *See also* OpenLDAP
  adding data to database, **673–674**
  client configuration, **675**
  enabling support, 676–677
  migrating authentication data to, **674–675**
  starting server, **673**
ldbm directive, 671
LDIF (LDAP Data Interchange Format), 670, 673
LE (logical extent), 246
leasing IP addresses, 461, *560*
Legacy Network Server package group, 89, 170
Legacy Software Development package group, 88, 170
Legacy Software Support package group, 90, 171
less command, **210–211**
/lib directory, 224
/lib/modules/x directory, 356
/lib/security directory, 487
libgcc package, 166
libglade2 package, 357
libgnomecups package, 570

09993.book Page 1106 Thursday, June 1, 2006 11:09 PM

Library Routines kernel menu, 386
libselinux-dev package, 168
license agreement
  accepting, **146–150**, *147*
  for Samba, 680
lighttpd package, 725
Lightweight Directory Assistance Protocol (LDAP), 191, 602, 659, **669–675**
LILO (Linux Loader), 324, 328
Limit command (CUPS Location directive), 588
Limit directive (Apache), 738
LimitExcept command (CUPS Location directive), 588
LimitExcept directive (Apache), 738
Lindows, 17
line numbers in vi, 216, *217*
Lineox, 6
lines of file
  count of, 214
  displaying first or last, 210
LINESPEED variable, 473
Link layer (TCP/IP), 443
links, 207
Linmodems support page, 468
Linspire, 17
Linux
  advantages, 3, **14–16**
  basic components, **7–9**
    daemons, 8–9
    init program, 8
    kernel, 7–8
    network modules, 8
    shells and utilities, 9
    X Window, 9
  bridge between Microsoft Windows and. *See* Samba (smbd)
  configuring on same computer with Microsoft Windows, **23–30**
    NTFS partition splitting, **28–30**
    procedure steps for VFAT partitions, **26–28**
    using existing hard drive, **25–26**
    using new hard drive, **24–25**
  directory structure, **224–226**
  history, **9–12**
  role of computer, **16–18**
    business size and, 18
    on desktop, **17**
    Fedora Core as workstation, **17–18**
    as server, **16–17**
  translations of English technical terms, 159
Linux administrators, backups by, 417
linux askmethod command, 57, 120, 126
Linux+ certification exam (CompTIA), 324, *777*
  components, **778–784**
    basic Linux hardware, 783–784
    Configuration, 781–782
    Documentation, 783
    Installation, 778–779
    Management, 779–781
    Security, 782
  preparing for, **777–778**
Linux certifications, *777*. *See also* Linux Professional Institute
  SAIR Linux/GNU Installation and Configuration Exam, **791–794**
    applications, 793
    base systems, 792
    shells and commands, 792–793
    system services, 793
    theory of operation, 791–792
    troubleshooting, 793–794
  SAIR Linux/Networking Exam, **796–800**
    applications, 799–800
    base systems, 797
    shells and commands, 797
    system services, 797–799
    theory of operation, 796–797
    troubleshooting, 800
  SAIR Linux/Security,Ethics and Privacy Exam, **800–803**
    applications, 802–803
    base, 801
    shells and commands, 801–802
    system services, 802
    theory of operation, 801
    troubleshooting, 803
  SAIR Linux/System Administration Exam
    applications, 796
    base systems, 795
    shells and commands, 795
    system services, 795
    theory of operation, 794
    troubleshooting, **794–796**
Linux Certified Administrator, 791
linux dd command, 120
Linux Documentation Project, Hardware Compatibility HOWTO, 33, 35
Linux kernel File Systems menu, *385*, 385–386

09993.book Page 1107 Thursday, June 1, 2006 11:09 PM

Linux Loader (LILO), 324, 328
linux mediacheck command, 53, 120
Linux-Mobile-Guide, 34
linux noprobe command, 57, 120
Linux Professional Group, 791
Linux Professional Institute, 777
    General Linux II exam, **788–791**
        administrative tasks, 789
        boot, initialization, shutdown and runlevels, 788
        documentation, 789
        kernel, 788
        network fundamentals, 789–790
        networking services, 790
        printing, 788
        security, 790–791
        shells, scripts, programming, compiling, 789
    Level 1 exam, **784–791**
        devices, filesystems, 787
        GNU and Unix commands, 786
        hardware and architecture, 785–786
        installation and package management, 786
        X Window System, 787–788
linux reiserfs command, 120
linux rescue command, 120, 335
    options, *336*
Linux Terminal Server Project, 530–531
linux updates command, 120
linux upgradeany command, 58, 98–99
Linuxcare, 16
Listen directive, 731
Live CD/DVD, 227
Livna repository, 307
LLC (Logical Link Control), 441
lmhosts file (Samba), 688
ln command, **207**
Load directive (xorg.conf), 847
Loadable Module Support kernel menu, **365–366**, *366*
LoadModule command (Apache), 756
local area network (LAN), 438
local command (isolinux.cfg), 51
local-host-names file (sendmail), 599
Local Network Browsing applet (KDE), 913, *914*
Local Network Chat applet (KDE), 913
local update repository
    creating, **619–621**
    downloading and yummifying updates, **621–622**
    installation files as foundation, **622–624**
    mirroring, **624–628**
        Extras, **627–628**
        installation packages, **626**
        updates, **626–627**
    sharing, **628–631**
        on LAN, **628–629**
        modifying clients, **630–631**
    testing updates, **623**
localboot command (isolinux.cfg), 51
LOCAL_DOMAIN command (sendmail), 605
localdomain.zone file, 544
localhost address, 726
localhost zone files, *544*, 544–545
local_umask command, 642
LOCALVERSION variable, 364
locate command, 213, **215**
    refreshing database for, 394
<Location /> containers (CUPS), 587–588
locking files, in shared NFS directory, 649
log files, 391
    for Apache, **739–741**, 762
    categories, **401–402**
    for CUPS, *590*, 590–591
    CUPS variables, 579–581
    detecting break-ins, 514, *514*
    GUI logs, **407–408**
    for Linux X Window, 854–856
    partitions and, 223
    in Samba, 692–693
    for troubleshooting, **400–408**
        daemon logs, **404–405**
        remote logs, **406–407**
        system logs, **402–403**
    for troubleshooting local install, 61, 96–97
logfile directive (yum), 302
LogFormat directive (Apache), 740
Logical Block Addressing (LBA), 134, 226
logical extent (LE), 246
Logical Link Control (LLC), 441
logical partitions, 22, 227
Logical Volume Management (LVM) system, 103, 223, **246–250**. *See also* volume groups
logical volumes (LV), 246, 375
    creating, *131*, 131, **247–248**
    from Disk Druid, *67*
    manual rescue mode and, 338
    options for unallocated, 248–249
    removing, 249

09993.book Page 1108 Thursday, June 1, 2006 11:09 PM

login
checking identity, 409
detecting remote, **403**, *404*
directories configuration, 703–704
Samba to manage, 696
Login Manager applet (KDE), *929*, 929
login programs, 9
LogLevel command (Apache), *757*
LogLevel directive (Apache), 740
LOGNAME environment variable, 256
Logo Configuration submenu, 382
logrotate command, 265
logrotate job, 393, 402
logvol command (Kickstart), 183, 184
lokkit, 499, 530
long list format, for file listing, 203, *203*
loopback IP address, 448, 727
/lost+found directory, 224
lowres command (isolinux.cfg), 51
lp commands, **591–593**
lpadmin command, **577**
lpc command, **593**
LPD sharing, activating, 590
lpoptions file (CUPS), 578
lpq command, **592**
lpr command, **591–592**
lprm command, **592**
LPRng (Line Printer, Next Generation), 563
ls command, 201, **202–204**
piping output, 258
ls command (FTP), 637
lsmod command, *327*, 327–328
LV (logical volume), 246
lvdisplay command, 338
lvm command, 338
LVM (Logical Volume Management) system, 103, 223, **246–250**
lvmout file, 96
lvscan command, 338

M

m command (fdisk), 228
MAC (Media Access Control), 441
MAC address, 441, 446
Mac OS X, 3
Maginnis, Tobin, 791
Magnifier (GNOME), 864
Mail Delivery Agents (MDA), 595–596
MAIL environment variable, 256
mail (LDAP), 670
mail log file, 405
mail readers, 596
Mail Server package group, 89, 171
mail services. *See also* sendmail service
alternatives, **596–597**
basics, **595–597**
clients, **612–616**
Balsa, *962*, **962–963**
graphical, **615–616**
selecting preferred, 869
text-based, **612–614**
incoming e-mail servers, **609–612**
Dovecot service, **610–611**
IMAP4 e-mail server, **611–612**
POP3 e-mail server, **611**
Postfix, **607–609**
preventing server overload, 603
switching between, **597**, *597*
Mail User Agents (MUA), 595–596
mailboxes, retrying delivery when full, 603
mailertable file (sendmail), 599
mailing lists
for reporting problems, 19
support from, 15
maillog file, 405
MAILTO variable, 394
main.cf file (Postfix), 608
make bzImage command, 353, 355
CPU and time requirement, 356
make clean command, 353
make command, for new sendmail.cf and submit.mc files, 607
make config command, *359*, 359
make dep command, 353
make gconfig command, **361**, *361*
make install command, 387
Make LVM Volume Group dialog box, 72, *73*
make menuconfig command, **359–361**, *360*
make modules command, 353, 356
make modules_install command, 353, 356
make mrproper command, 354
Make RAID Device dialog box, 71, *72*, *189*, 189
Make RAID Device menu, *132*
make xconfig command, **361–362**, *362*
makedefs.out file (Postfix), 608
Makefile file, **353–354**, 358
for NIS database, 664
makemap command (sendmail), 599

09993.book Page 1109 Thursday, June 1, 2006 11:09 PM

man bootparam command, 120
man page, 188
manual rescue mode, **337–338**
manual.conf file (Apache), 754
maps in NIS, 659
MASQUERADE_AS command (sendmail), 605
MASQUERADE_DOMAIN command (sendmail), 605
masquerading, 483
Master Boot Record (MBR)
  BIOS and, 323
  setting drive with, *78*, 136
master DNS server, 539
master.cf file (Postfix), 608
Math (OpenOffice.org), 958, *958*
mathematics, educational tools for, 935
MaxClients directive (Apache), 730
MaxClients variable (CUPS), 584
MaxClientsPerHost variable (CUPS), 585
MaxCopies variable (CUPS), 582
MaxJobs variable (CUPS), 582
MaxJobsPerPrinter variable (CUPS), 582
MaxJobsPerUser variable (CUPS), 582
MaxKeepAliveRequests directive (Apache), 729
MaxLogSize variable (CUPS), 580
MaxRequestSize variable (CUPS), 585
MaxRequestsPerChild directive (Apache), 730, 731
MaxSpareServers directive (Apache), 730
MaxSpareThreads directive (Apache), 730
MD5 encryption, 190
MD5 passwords, 485
MDA (Mail Delivery Agents), 595–596
mdadm command, 432–433
Media Access Control (MAC), 441
/media directory, 225
/media/disk/RPM-GPG-KEY*, 314
mediacheck, checking integrity with, 53, *54*, 55, *55*
member server, 681
memory. *See* RAM
Memory Technology Devices (MTD) menu, 373
memtext86 command (isolinux.cfg), 51
menu.lst file, 93
menus in text mode, selecting from, 122
message file, 402, 643
Message Transfer Agents (MTA), 595–596
Micro Channel Architecture, 369
Microsoft Internet Information Server, 723
Microsoft Outlook Express, and Transport Layer Security (TLS), 604
Microsoft server, 681
Microsoft Vista operating system, 28
Microsoft Windows
  bridge between Linux and. *See* Samba (smbd)
  configuring Linux on same computer with, **23–30**
    NTFS partition splitting, **28–30**
    procedure steps for VFAT partitions, **26–28**
    using existing hard drive, **25–26**
    using new hard drive, **24–25**
  Linux as alternative, 17
  SSH on, 527
Microsoft Windows 98 boot disk, 27
Microsoft Windows NTLDR, 76
Microsoft Windows partitions, Linux install and, 127
middle mouse button emulation, 41
MIME (Multipurpose Internet Mail Extensions), 738–739
mime.convs file (CUPS), 578
MIMEMagicFile directive (Apache), 739
mime.types file (CUPS), 578
minicom, *471*, **471–473**
minimum command (localhost.zone file), 545
Minix, 11
MinSpareServers directive (Apache), 730
MinSpareThreads directive (Apache), 730
mirroring
  for kernel.org site, 350
  with local update repository, **624–628**
    Extras, **627–628**
    installation packages, **626**
    updates, **626–627**
mirrorlist directive, 303
/misc directory, 224
  automounted directories on, 243
mkbootdisk command, 334
mkdir command, 208–209
  for user home directory, 278
mkfs command, 232, 236–237
mkisofs command, 426
mklabel command (parted), 232
mkpart command (parted), 232
mkpartfs command (parted), 232
mkswap command, 237
/mnt directory, 225
/mnt/sysimage/root/install.log file, 93
mod_auth_mysql package, 726
mod_auth_pgsql package, 726

09993.book Page 1110 Thursday, June 1, 2006 11:09 PM

Mode directive (xorg.conf), 847
ModelName directive (xorg.conf), 847
MODEMPORT variable, 473
modems, 464
  baud rate, 469
  configuring, **468–470**, *469*
  minicom for, *471*, **471–473**
Modes directive (xorg.conf), 847
modprobe.conf file, 96
mod_status module (Apache), 734
modular kernel, **13–14**
Module directive (xorg.conf), 847
modules
  in Apache, 731–734
  building, **356**
  listing, *327*, **327–328**
modules file, 41
Moneydance, 17
monitor
  Fedora Core recommendation, 36
  setup for two, 833–834, *834*
Monitor directive (xorg.conf), 847
Monitor window, 153, *154*, 832–833, *833*
monolithic kernel, **13–14**, 366
more command, **210–211**, 258
Morton, Andrew, 345
Motif window manager, 835
mount command, 105, 239–240
mount command (Samba), 684
mount point, 239
mount.cifs command, 683, 708
mountd daemon, fixing port for, 651
mounted partition, fsck command and, 241
mounting
  directories, **239–240**
  RAID array, **433**
Mouse applet (KDE), 922
mouse command (Kickstart), 184
Mouse Configuration tool, 41
mouse, configuring, 379
Mouse preferences window (GNOME), 875, *875*
move command (parted), 232
mozilla-devel package, 169
MS-DOS boot disks, creating, 27
MTA (Message Transfer Agents), 595–596
MUA (Mail User Agents), 595–596
multi-device support, 375, *376*
multicast support, and DHCP, 556
Multics (Multiplexed Information and Computing Service), 10
multimedia applications in GNOME
  GNOME Baker, 892, *892*
  Grip, 892, *893*
  Helix Player, 893, *894*
  Rhythmbox, 893, *894*
multimedia applications in KDE, **940–942**
  configuring, **925–928**
Multimedia Devices menu, 382, *382*
multipath support, 416
Multiplexed Information and Computing Service (Multics), 10
Multipurpose Internet Mail Extensions (MIME), 738–739
MultiSynK applet, 933
multiuser mode, runlevel and, 331
multiuser server, 9
must be authenticated error message, 486
mutt, 172
  configuring for e-mail, 612
mv (move) command, **206**
mwm file (X), 841
MySQL, 949
MySQL package group, 89, 171
mysqld.log file, 405

N

n command (fdisk), 228, 229
name command (parted), 232
name directive, 303
name server, for network adapter, 190
Name Server Switch configuration file, 675
Name Switch Cache, 191
named daemon, 16, 456, 537, 547
named.broadcast file, 544
named.ca file, 544
named.ip6.local file, 544
named.local file, 544, 545
named_write_master_zones directive, 540
named.zero file, 544
names
  for files, changing, 206
  for partitions, **23**
nameserver, 537
NameVirtualHost directive (Apache), 753
nat table for iptables, 492
National Center for Supercomputing Applications (NCSA), 723

09993.book Page 1111 Thursday, June 1, 2006 11:09 PM

Nautilus, 858, 895, *896*
ncpfs RPM package, 442
ncsd daemon, 191
ncurses-devel package, 357
ncurses package, 357
NdisWrapper project, 35, **476–477**
net commands (Samba), 708
/net directory, 225
NetBEUI (NetBIOS Enhanced User Interface), 437, **441–442**
NETMASK variable, 473
netstat command, 451, 480, *480*
NetWare, 442
network. *See also* installing Linux over network
  text mode for configuring, 136, *136*, *137*
network adapter cards
  assigning different hardware addresses to, 455
  choosing during install, 123
  compatibility issues, 34
  hardware address for, 439
  Pre-boot eXecution Environment (PXE), 530
  Samba access to, 695
  setting up, **466–470**, *467*
network address, 438, 448, 459
network command (Kickstart), 184
Network Configuration, *79*, 79–80
Network Configuration menu, *466*
Network Configuration menu (Kickstart Configurator), **190**, *190*
Network Configuration window, 468
Network Device Information dialog box, *190*, 190
Network File System (NFS). *See* NFS (Network File System)
Network Information Service (NIS), 191, 659. *See also* NIS (Network Information Service)
Network Installation and Diskless Environment tool, 113, 530, 533
Network Installation Dialog window, 114, 115
Network layer (OSI), 441
network mask, 446, **459–460**, 557
  for network adapter, 190
network modules, 8
Network Packet FIltering submenu, 371
Network Proxy Preferences window (GNOME), 876, *876*
Network Servers package group, 89, 171
Network Settings applet (KDE), 913
network settings, in Kickstart configuration file, **180**
Network Time Protocol (NTP), 412
  server, 558
Networking kernel menu, 370–372, *371*
Networking Options submenu, 371–372
networks
  configuration files, **456–458**
  configuring, **460–461**
  corrections on Red Hat exams, 817–818
  creating connections, **463–479**
  fundamentals, **437–439**
  hardware, **452–453**
  KDE parameters for, **912–917**
  listing shares available on local, 684
  in LPI Level II exam, 789–790
  troubleshooting, **479–482**
  wireless, *378*, 378, **475–479**
    adapter card compatibility issues, 35
    configuring, 465, **477–479**
    experimental device drivers, 476
    list of available, 479
    MADWiFi project, 475–476
    NdisWrapper project, **476–477**
    plug-and-play hardware, 475
    proprietary drivers, 476
    troubleshooting, 452
New Access Control List window, *553*, 553–554
NewRPMS repository, 307
news log file, 406
News Server package group, 89, 171
newsgroups
  database, 35
  for reporting problems, 19
NewsTicker, sound for, 928
newusers command, 279
NFS (Network File System), 103, 515, 635
  clients, **656–657**
  diskless workstation configuration, **532**
  SELinux protection for, 507
  server configuration, **647–653**
    daemons, **648–649**
    exports setup, **649–651**
    packages, **648**
    security, **651–652**
  server preparation for Linux install over network, **104–107**
  starting, **652–653**
NFS Server Configuration tool, *653*, **653–656**
nfs service, 16
nfs-utils package, 648

09993.book Page 1112 Thursday, June 1, 2006 11:09 PM

nibble, 449
nice command, 408, **410**
NIS (Network Information Service), 191, 659
  clients, **666–669**
    commands, **667–668**
    /etc/nsswitch.conf file, **668–669**
    yp.conf for configuring, **667**
  enabling support, 676
  SELinux protection for, 507
  server setup, **659–666**
    configuration files, **664–665**
    database map, **663–664**
    NIS domain definition, **661**
    packages, **660–661**
    shared files, **661–663**
    slave server, **665–666**
nisdomainname command, 456
nmbd command (Samba), 707
nmbd daemon, 688
Noatun utility, 942
nohup command, 408, **410**
non-plug-and-play hardware, 40
notebook computers. *See* laptop computers
Novell, 10, 442
  support for Linux, 3
NS command (localhost.zone file), 545
NTFS partition, splitting, **28–30**
ntfsresize FAQ website, 28
ntfsresize package, 25
NTP (Network Time Protocol), 412
NTP server, 151, *152*, 412–413
ntsysv utility, 399, 400, *400*

O

O command (vi), 219
o (open) command (vi), 218, 219
o (organization name), 670
objectClass (LDAP), 670
obsoletes directive (yum), 302
ODBC, 949
Office/Productivity package group, 86, 171
office suites in Linux, 947. *See also* GNOME Office; KOffice; OpenOffice.org
ONBOOT variable, 473
One Laptop Per Chld (OLPC) initiative, 3
oobase command, 948
oocalc command, 950
oodraw command, 952
oowriter command, 956
open source, 10
Open SSH package, 527
OpenLDAP, 669
  installing RPM packages, 669
  server configuration, **669–672**
OpenOffice.org, 7, 17, 171, **947–959**
  Base, **948**, *949*
    and census data, *950*
  Calc, *950*, **950–951**
  Draw, *952*, **952–954**
  Impress, **954–956**, *955*
  Math, 958, *958*
  starting applications, 948
  Writer, **956–958**, *957*
openssh-clients package, 166
openssl-devel package, 168
operating system
  Anaconda detection of, 135
  configuring GRUB to boot in multiple, 329
  default, selecting, 135
OProfile system, 386
/opt directory, 225
  space requirements, 133
Option directive (xorg.conf), 847
Options directive (Apache), 735
ORacle JDBC, 949
Order command (CUPS Location directive), 588
$ORIGIN command (localhost.zone file), 545
orphan files, 224
OSI (Open Standards Interconnection) model, 437, 439
  levels, *440*, **440–441**
OSTYPE command (sendmail.mc), 600
ou (organizational unit), 670
output, redirecting, 257–258
owner of files, displaying in file list, 203
owner of home directory, assigning for new user, 278

P

p command (fdisk), 228, 229
package groups, 84. *See also specific names of packages*
  Applications category, *86*, 86
  Base System category, *90*, 90
  categories, **173–174**
  Desktop Environments category, 85
  Development category, 87–88, *88*
  Languages category, *91*, 91
  Servers category, 88–89, *89*

09993.book Page 1113 Thursday, June 1, 2006 11:09 PM

package management, in LPI Level 1 exam, 786
Package Selection menu (Kickstart Configurator), *193*, 193
Package updater (Pup), **316–317**, *317*
<packagelist> tag (comps.xml), 165
<packagereq> tag (comps.xml), 165
packages. *See also* RPM packages
%packages command, in Kickstart configuration file, **183**
packets, **441**
page down command (less), 211
page up command (less), 210
pagers, 211
PalmOS Devices, GNOME support, 867–868, *868*
PAM (Pluggable Authentication Module), 483, **487–490**, *488*
  basic configuration, 487–488
  control flags, 488–489
  example, 489–490
  module types, 488
pam_service_name file, 645
panel icons, in GNOME, 859
Panel Properties window (GNOME), *860*, 860
Panels applet (KDE), 910, *910*
panels in GNOME, *858*, **858–859**
PAPNAME variable, 473
Parallel Port Support menu, 373
parallel ports, 374
  Anaconda and, 24
parent directory, 260
part command (Kickstart), 182, 184
parted utility, 26, **231–234**
Partition Information menu (Kickstart Configurator), *188*, **188–189**
Partition Magic, 27, *76*, 235
Partition Options dialog box, 188, *189*
partition tables
  displaying, *74*
  restoring original, 27–28
partitions
  automatic options, 128
  creating, **22–23**, 130, *130*
  and flexibililty, 223
  formatting, **236–237**
  increasing size, 234
  managing, **226–235**
    fdisk for adding, *227*, **227–230**
    fdisk for label revision, **230–231**
    parted for adding, **231–234**
    with QtParted, *235*, **235**
  names for, **23**
  for RAID, **431–432**
  on Red Hat exams, 818
  schemes for, 226
  setup in Kickstart configuration file, **182–183**
  setup with Disk Druid, *66*, **66–74**
  sizes, **132–133**
  splitting NTFS, **28–30**
  styles, **22**
partitions file, 41
partitions (Microsoft Windows), Linux install and, 127
passphrase, for Apache, 759
passwd command, 339
passwd package, 166
passwd.md5 file (CUPS), 578
Password & User Account applet (KDE), 925
Password Generator (GNOME), *884*, 884
Password module (PAM), 488
password variable (GRUB), 329
passwords, **486**
  for bootloader, 76, *77*
  copying encrypted, 279
  encryption, 964
  encryption for LDAP, 672
  for GRUB, 134, *135*, 330
  for installing Linux from FTP server, 178
  for Microsoft Windows network, 688–689
  for mount commands, 683
  for new user, 278
  for root user, 139
    Kickstart setting for, 181
  in Samba, 693–694, *716*, **716–717**
  security, 273, 485
  setting restrictions, **280–281**
  in Shadow Password Suite, **285–286**
    converting, 286
  testing, 285
  transferring ecrypted, 672
PATA (Parallel Advanced Technology Attachment) drives, 22
  BIOS and, 39–40
patch, for kernel, **351–352**
path
  absolute, 201
    displaying, 202
    vs. relative, 204
  adding directory to, 256
  of scripts, 264
Path applet (KDE), 930

09993.book Page 1114 Thursday, June 1, 2006 11:09 PM

PATH environment variable, 256, 392
Pause action (CUPS), 564
PCCARD (PCMCIA/CardBus) Support submenu, 369, *370*
pci file, 41
PCI Hotplug Support submenu, 369, *369*
PCMCIA controller, avoiding installing, 59
PCMCIA Network Device Support, 379
PDF (Portable Document Format), 975–976
PE (physical extent), 246
peer-to-peer, 681
PEERDNS variable, 473
Performance applet (KDE), 919
peripherals
    configuring in KDE, *920*, **920–922**
    KDE tools for accessing, 932
perl.conf file (Apache), 754
permissions
    displaying in file list, 203
    for files, **211–213**
    masked value of, 213
personal desktop users, backups by, 417
personal finance programs, 17
    GnuCash, *965*, **965**
personal informaiton management
    Evolution, **963–964**
    KDE tools for, 932–933
    Kontact, *970*, 970
PGP (Pretty Good Privacy), RPM and, **314**
php.conf file (Apache), 754
php_ldap package, 726
PHY Device Support, 377
physical extent (PE), 246
physical setup, and computer security, 484
physical volume (PV), 246
    creating, **246–247**
PidFile directive (Apache), 729
pine (mail client), 612
    basic configuration, *613*
    creating message, *614*, 614
    main menu, *613*
    message index, 614, *614*
ping of death attack, 487
ping utility, 444, 451, **481–482**
piping data, 257, 258
pirut utility, 84, 316, **317–318**, *318*
    for installing X Window System packages, 830
    use on network, 105
pkgconfig package, 357
pkgpolicy directive (yum), 302
plug-and-play hardware, 44
Plug and Play Support menu, 373–374
Pluggable Authentication Module (PAM), 483
Plugins applet (KDE), 917
.png file format, 62, 94
Point-to-Point Protocol (PPP), 445
pointing devices, with serial port connection, 41
POP (Post Office Protocol), 595
POP3 e-mail server, **611**
portmap package, 648, 649, 660
ports
    patterns for iptables, 494
    for TCP/IP Application-level protocols, 444
post-install file (Postfix), 608
Post-Installation Script menu (Kickstart Configurator), **194**
Post Office Protocol (POP), 595
POST (power-on self-test), 323
Postfix, 171, 595, **607–609**
postfix-files file (Postfix), 608
postfix-script file (Postfix), 608
PostgreSQL Database package group, 89, 171
PostScript (PS), 975–976
PostScript Viewer, 976
pound sign (#), as root user command prompt, 208
power failure, and cron tasks, 393
power management
    in GNOME, **868**
    in KDE, **922–923**, *923*
Power Management Options kernel menu, *368*, 368–369
power off, and anacron system, **395**
PowerPC (PPC)
    booting from CD, 48
    Fedora Core support for, 32
ppd/ directory (CUPS), 578
ppds.dat file (CUPS), 578
PPP (Point-to-Point Protocol), 445
ppp log file, 406
Pre-boot eXecution Environment (PXE) network card, 530
Pre-Installation Script menu (Kickstart Configurator), **193**
prefdm file (X), 841
Preferrred Applications window (GNOME), *869*, 869
prelink.log file, 406
Presentation layer (OSI), 440

09993.book Page 1115 Thursday, June 1, 2006 11:09 PM

presentation software
KPresenter, 971
OpenOffice.org Impress, **954–956**, *955*
PreserveJobHistory variable (CUPS), 582
Pretty Good Privacy (PGP), RPM and, **314**
primary domain controller (PDC), 680
primary partition, 22, 226
creating, *229*, 229
splitting, 25, 27–28
Print action (CUPS), 564
print command (parted), 232
print jobs
checking queue, 572–573
CUPS GUI tool to manage, *589*, **589–591**
deleting from queue, 592
management, 582–583
PrintcapFormat command, 583
PrintcapGUI variable (CUPS), 583
Printer Configuration tool, *686*
printer daemon, 8
Printer Model dialog box, 566, *567*
printers
accessibility to other printers, 585
adding administrators, **593–594**
classes, 574–575, *575*
compatibility issues, 34
default, in GNOME, 867
default settings for shared, 704
in Samba
for connection, **686–687**
sharing, 702–703
as shared, browsable items, 692
sharing properties, 568
Printers applet (KDE), *922*, 922
printers.conf file (CUPS), 578
printing
in LPI Level II exam, 788
SELinux protection for, 507–508
Printing Support package group, 89, 171
priority of program, changing, 408, **410**
Privacy applet (KDE), 925
private IP address, 448, 458, 459
private key, 485
encryption of, 759
for SSH, 527
private networks, **458–460**
/proc directory, 41, 225
files for hardware information, 325–326
process management, **408–410**
Processor Type And Features kernel menu, 366–368, *367*
procmail, 596
procps package, 166
programming, in LPI Level II exam, 789
programs
running in background, **258–259**
suspending, 259
project management
Imendio Planner, **966–967**
KPlato, 971
prompt command (isolinux.cfg), 51
prompt, selecting options, in local install, **56–60**, *57*
protocol analyzer, 513
protocol stacks, 437, **439**
PROVIDER variable, 473
Proxy applet (KDE), 914
proxy_ajp.conf file (Apache), 754
ProxyVia directive (Apache), 751
ps command, 216, 408
PS (PostScript), 975–976
Pseudo Filesystems submenu, 386
pstoraster.convs file (CUPS), 578
public address, 458
public IP address, 459
public key, 485
for SSH, 527
Pup (Package updater), **316–317**, *317*
Purge action (CUPS), 564
put command (FTP), 637
PV (physical volume), 246
pvcreate command, 247
pwconv command, 279, 286
pwd command, 201, **202**
pwd command (FTP), 637
pwunconv command, 286
PXE Boot server configuration, **113–118**
adding hosts, **115**
copying to TFTP server, **114**
DHCP server configuration, **116**
First Time Druid for, **113–114**, *114*
starting boot server, **115–116**
starting PXE network installation, *117*, **117–118**
pxeos command, 114
python.conf file (Apache), 754

Q

q command (fdisk), 228, 229
:q command (vi), 219

09993.book Page 1116 Thursday, June 1, 2006 11:09 PM

Qalculate applet (KDE), 934
Qemu, 17
Qmail, 596
QoS And/Or Fair Queuing menu, 372
Qt-based graphical menu, 361
qt-devel package, 170, 357
Qt toolkit, 899
QTParted tool, 26, 28–30
    opening, *29*, 29
Qucs applet (KDE), 934
query mode, of rpm command, 294–295
question mark (?), as wildcard, 214, **261**
Queue Name dialog box, 566, *566*
Queue Type dialog box, 566, *567*
quit command (parted), 232
quota package, 166, 648
quotacheck command, 288
quotaoff command, 289
quotaon command, 289
quotas, **286–290**
    for groups, 289
    monitoring, 290
    for user accounts
        creating, **287–289**
        with touch command, 288
quote characters, **262–263**
    in sendmail.mc file, 600

R

r command (vi), 219
r (read) permission for file, 211–213
racoon key management daemon, 474
RAID, 375, **429–434**
    advantages, 430
    configuring, 131, *132*, **430–431**
    creating partitions, **431–432**
    options, **430**
    setup with Disk Druid, *71*, 71–72
    software and hardware, **431**
RAID array
    creating, **432–433**
    making permanent, **433–434**
    modifying, **433**
    mounting, **433**
raid command (Kickstart), 183, 184
RAID Options window, 189
RAM
    Fedora Core recommendation, 36
    minimum requirements, 7
    swap space need for, 409
    virtual filesystem in, 13. *See also* /proc filesystem
ramfs/X.log file, 97
Raster Image Processing Cache variable (RIPCache), 583
Rawhide, 624
rc.sysinit script, 331
read-only mode, mounting filesystems in, 241–242
read-only rescue mode, **337**
read permissions, for uploaded FTP files, 642
read (r) permission for file, 211–213
read-write mode, remounting filesystem in, 337
README file, for kernel, 353
Real Player, 893
reboot command (Kickstart), 183, 184
rebooting, runlevel and, 331
rebuild distribution, 6
rebuilds, 6
recompiling kernel, 343
Red Hat certifications, 805
    time management, 823
Red Hat Certified Architect (RHCA), 805, 806
    exam overview, 810–811
Red Hat Certified Engineer (RHCE), 784, 805, 806
    exam overview, 806–807
    exam preparation, **820–824**
        installation and configuration section, **822–824**
        troubleshooting and system maintenance, **820–822**
    prerequisites, **812–816**
        basic hardware knowledge, 812–813
        basic Linux/Unix knowledge, 813
        file operations, 813–814
        Filesystem Hierarchy Standard (FHS), 813
        network security, 816
        networking, 815–816
        printing, 814
        security, 814
        shells, 814
        system administration, 815
Red Hat Certified Security Specialist (RHCSS), 805, 806
    exam overview, 807–809
Red Hat Certified Technician (RHCT), 784, 805, 806
    exam overview, 806
    exam topics, **816–818**
    installation and configuration section, 819

09993.book Page 1117 Thursday, June 1, 2006 11:09 PM

items not covered, 819
prerequisites, **812–816**
basic hardware knowledge, 812–813
basic Linux/Unix knowledge, 813
file operations, 813–814
Filesystem Hierarchy Standard (FHS), 813
network security, 816
networking, 815–816
printing, 814
security, 814
shells, 814
system administration, 815
Red Hat Desktop, 6
Red Hat Enterprise Deployment and System Management Endorsement exam, 810
Red Hat Enterprise Directory Services and Authentication exam, 808–809
Red Hat Enterprise Linux, 3, 4
access to source RPMs, 638, *638*
license agreement, 147
support for, 14–15, 16
System Administration Guide, 178
third-party rebuilds, 6
versions, **5–6**
Red Hat Enterprise Security on Network Services exam, 807–808
Red Hat Enterprise SELinux Policy Administration exam, 809
Red Hat Enterprise Storage Management Endorsement exam, 811
Red Hat Enterprise System Monitoring and Performance Tuning Endorsement exam, 811
Red Hat Package Manager (RPM), 14, 84, 293
Red Hat Private Group scheme, 290
Red Hat Professional Workstation (RHPW), 6
Red Hat Skills courses, 812
redirecting data stream, 257
refresh command (localhost.zone file), 545
refresh rates, for video adapter signals, 31
ReiserFS filesystem, 61, 235
REJECT option for secure services, 515
relative path, 204
Release Notes window, 62, *62*
reliability of Linux, **15**
reload action for service script, 398
relocated file (Postfix), 608
remote access services, 519
Remote Controls applet (KDE), 922
remote database, configuring LDAP client to read, 675
Remote Desktop (GNOME), *876*, 876–877
remote display, setup, 853–854
remote environments
diskless workstation, booting, **535**
diskless workstation configuration, **530–535**
DHCP server configuration, **531–532**
directory setup on server, **531**
Fedora Core Network Installation and Deskless Environment tool, **533–535**
NFS configuration, **532**
TFTP (Trivial File Transfer Protocol), **531**
Secure Shell (SSH), **526–530**
configuring, **527**
installation, **526–527**
sample session, **528**
TCP Wrappers for access control, **524–526**
xinetd firewall, **525–526**
troubleshooting access issues, **529**
using extended services, **520–524**
FTP servers, **523**
Kerberos Telnet, **522–523**
xinetd configuration file, *520*, **520–521**
remote logins, detecting, **403**, *404*
remote logs, configuring, **406–407**
Remote Name Daemon Control utility, **543**
remote networks, and DHCP server, **559**
remote server
Kickstart commands for installing Fedora Core from, 178
synchronizing clock with, 412
remote terminals, 380
directory for, 225
RemoteRoot variable (CUPS), 584
Removable Drives and Media Preferences window (GNOME), 877–878, *878*
removable media, mount point for, 225
renice command, 408, **410**
repositories, **299–301**. *See also* local update repository
enabling temporarily, 311
third-party, **307–308**
repository of installation files, configuring, 104
repquota command, 290
RequestRoot variable (CUPS), 579
Require command (CUPS Location directive), 588
rescue command (parted), 232
rescue disks, **333–340**

09993.book Page 1118 Thursday, June 1, 2006 11:09 PM

rescue mode, **335–338**
automatic, 336–337
manual, **337–338**
read-only, **337**
Resin web server, 724
resize command (parted), 233, 234
resolution
for monitor, 153, 831
Kickstart xconfig settings, 180
for X Window, 193
Resources applet (KDE), 919
restart action for service script, 398
restore command, 422, **424–426**, *425*
RESTORRB.EXE command, 27–28
Resume action (CUPS), 564
retry command (localhost.zone file), 545
reverse IP addresses, 542
Reverse Master Zone, 539
reverse zone file, *547*
RgbPath directive (xorg.conf), 847
RHPW (Red Hat Professional Workstation), 6
Rhythmbox (GNOME), 893, *894*
RIPCache variable (CUPS), 583
Ritchie, Dennis, 10
rm command, **206–207**
rm command (parted), 233
rmdir command, 209
rndc command, **543**
limiting access to, 541
rndc.key file, 540
roaming profiles, user configuration of, 703
root, 330
root (/) directory, space requirements, 133
/root/anaconda-ks.cfg file, 91
root directory, 225
for web server, 735
root DNS servers, 539
/root/install.log file, 91
root password
changing, 339
configuring
in Kickstart Configurator, 186
when installing locally, *82*, 82
in Kickstart configuration file, **181**
root user, 82
administering as, **208**
command prompt for, 208
and FTP server access, 637
home directory for, 225
limiting access with wheel, **285**
password for, *139*, 139
and sudoers file, **283–284**
root variable (GRUB), 329
RootCertDuration variable (CUPS), 583
rootdn directive, 670, 671
rootnoverify variable (GRUB), 329
rootpw command (Kickstart), 181, 184
route command, 480
routers, 451, **453**
routing table, *480*, 480
Roxen web server, 724
rpc.mountd daemon, 648
rpc.nfsd daemon, 648
rpc.statd daemon, 649
rpm command, 295
query mode, 294–295
RPM packages, 164, 166
and CPU, 295
deletions, **298**
dependencies, **297**
for DNS, 538
extracting single file, **298–299**
installing and updating, **293–299**
basic install, 295–296
direct install from downloads, 296
upgrades, 296–297
kernel setup from, 347
listing files in, 295
for NFS, **648**
for NIS, **660–661**
for OpenLDAP, 669
preserving for repository, **621–622**
security, **314–316**
updating, **316–320**
verifying, **315**
yum to remove, 485
RPM (Red Hat Package Manager), 84
rpm2cpio command, 298
rpmbuild command, 350
RPMforge repository, 307
rpmpkgs log file, 406
.rpmsave file extension, 101, 295
rquotad daemon, fixing port for, 651
rsync command, **429**, 523, 624–628
rsync servers, downloads using, 29
Ruby package group, 88, 171
"run as" alias, 284
run-parts command, 392

09993.book Page 1119 Thursday, June 1, 2006 11:09 PM

runlevels, **324**, 331, 339–340
booting into different, 817
in LPI Level II exam, 788
service activation at different, **398–400**
setting default, 330
starting, **332–333**
running processes, displaying current list, 408
running programs in background, **258–259**

S

SAIR Linux/GNU Installation and Configuration Exam, **791–794**
applications, 793
base systems, 792
shells and commands, 792–793
system services, 793
theory of operation, 791–792
troubleshooting, 793–794
SAIR Linux/Networking Exam, **796–800**
applications, 799–800
base systems, 797
shells and commands, 797
system services, 797–799
theory of operation, 796–797
troubleshooting, 800
SAIR Linux/Security,Ethics and Privacy Exam, **800–803**
applications, 802–803
base, 801
shells and commands, 801–802
system services, 802
theory of operation, 801
troubleshooting, 803
SAIR Linux/System Administration Exam
applications, 796
base systems, 795
shells and commands, 795
system services, 795
theory of operation, 794
troubleshooting, **794–796**
SAIR (Software Architecture Implementation and Realization) exams, **791–803**
Samba applet (KDE), 914, *915*
samba-client package, 681
samba-common package, 681
samba package, 681
Samba Server Configuration Tool, 679, **718–720**
creating share, 720
server settings, 718, *718*
user management, **719**, *719*
Samba (smbd), 7, 8, 442
bridge between Linux and Microsoft Windows, **680–681**
RPM packages, **681**
configuration file. *See also* /etc/samba/smb.conf file
configuration files
lmhosts file, 688
secrets.tdb file, 688
smbpasswd file, 688–689
smbusers file, **689–690**
configuring as client, **682–687**
shared Samba directory, **682–685**
shares in /etc/fstab, **685**
connecting to printer, **686–687**, *687*
daemons, **688**
SELinux protection for, 509
SELinux protection for daemons, 150, *151*
terminal mode, **685**, *686*
troubleshooting checklist, **704–707**
users and computers management
commands, **708–710**
computer accounts configuration, **707–708**
samba-swat RPM package, 681, 709
Samba Web Administration Tool (SWAT), *679*, **710–717**
Globals menu, *712*, **712–713**
Home menu, **710**, *711*
Password menu, *716*, **716–717**
Printers menu, **714–715**, *715*
Samba Configuration Wizard, **710–712**, *711*
Server Status menu, *717*, **717**
Shares menu, *714*, **714**
View menu, *715*, **715–716**
SANE (Scanner Access Now Easy), 34
SASL Authentication Server, SELinux protection for, 509
SATA (Serial IDE) hard drives, 22
BIOS and, 39–40
savedefault variable (GRUB), 329
saving current kernel configuration, 354
/sbin directory, 225
scanModem tool, 468
Scanner Access Now Easy (SANE), 34
scanners, compatibility issues, 34
scanning, 981

09993.book Page 1120 Thursday, June 1, 2006 11:09 PM

scheduled tasks. *See* cron daemon
single occurence. *See* at daemon
schema (LDAP), 670
science, educational tools for, 936
SCIM Input Method Setup, 869
SCO Group, 10–11
screen capture programs, **980–981**
Screen directive (xorg.conf), 847
screen saver (GNOME), *878*, 878
screen saver (KDE), *907*, 907
Screenreader (GNOME), *864*, 864
ScriptAlias directive (Apache), 742
scripts
creating, **263–266**
for cron jobs, 394
in /etc/rc.d/init.d directory, *397*, **397–398**
in Linux+ certification exam, 781
in LPI Level II exam, 789
making executable, **266**
path of, 264
sample, **265**
Scriptsock directive (Apache), 742
scroll wheels, 41
scrollkeeper.log file, 406
scsi file, 41
SCSI hard drives, **40**
SCSI (Small Computer Systems Interface), 375, *376*
Scyld Computing, 34
Search and Indexing applet (GNOME), *879*, 879
searches
of file contents, 215
for files, 214
for text in vi, 218
second extended filesystem (ext2), 235
converting to ext3, 237
secrets.tdb file (Samba), 688
Section directive (xorg.conf), 847
Secure Digital cards, 385
secure HTTP protocol (HTTPS), 756
secure log file, 406
Secure Shell (SSH), 473, **526–530**
allowing through firewall, 181
configuring, **527**
installation, **526–527**
sample session, **528**
Secure Sockets Layer (SSL), 601, 669, 766, *766*
security, 483. *See also* firewall; passwords
for Apache, 628
best practices, **484–487**
disabling unneeded services, 484–485
physical setup, 484
uninstalling services, 485
Console Security Level tool, **499–500**, *500*
for cron daemon, **395**
for CUPS printers, 586–587
for at daemon, 396
detecting break-ins, **512–514**
encryption, **485–486**
Fedora Core Security Level tool, **499**
for FTP server, 641
FTP services and, **646–647**
IP masquerading, **501–502**
in Linux+ certification exam, 782
in LPI Level II exam, 790–791
modes on Microsoft Windows networks, 693
modes on Samba, 693
for NIS, 660
PAM (Pluggable Authentication Module), **487–490**, *488*
basic configuration, 487–488
control flags, 488–489
example, 489–490
module types, 488
for RPM packages, **314–316**
troubleshooting access issues, **514–515**
user-based, for websites, **760**
WU-FTP and, 523
Security Enhanced Linux (SELinux), 7, **150**, *150*, 483
configuring, **502–512**
concepts, **503**
defaults, **503**
in Kickstart configuration file, 181
preventing access to services, 530
and Samba, 707
and Security Level Configuration tool, **503–512**
Admin category, 504
Compatibility category, 505
Content Locations category, 505
Cron category, 505
FTP category, 505
HTTPD Service category, 505–506, *506*
Kerberos category, 506
Name Service category, 507
NFS category, 507
NIS (Network Information Service), 507
other directives, 507–508
printing, 507–508

09993.book Page 1121 Thursday, June 1, 2006 11:09 PM

Samba (smbd), 509
SASL Authentication Server, 509
SELinux service protection, 509–511
Spamassassin, 512
Squid proxy server, 512
SSH (Secure Shell), 512
Universal SSL tunnel, 512
security keys, generating, 758–759
Security Level Configuration tool, 852–853
Security Options kernel menu, 386
security printouts (CUPS), 581
segmentation fault, 97
select command (parted), 233
selections, in text-mode menus, 122
selinux command (Kickstart), 184
/selinux directory, 225
SELinux (Security Enhanced Linux), 7, 483
configuring, **502–512**
and FTP server access, 646, *647*
and Telnet access, 523
for web directories, **753–754**
semicolon (;), for Samba comments, 690
Send action (CUPS), 564
sendmail service, 16, 171, 595
commercial version, 596
configuring, **597–607**
/etc/aliases file, 598
/etc/mail file, 598–599
/etc/mail/sendmail.cf file, 599–605
/etc/sysconfig/sendmail file, 598
processing and reactivating, **607**
RPM packages, **597–598**
sendmail.cf configuration file, 597, 599–605
make command for, 607
sendmail.mc file
authorization methods, 601
dnl for comments, 600
serial command (localhost.zone file), 545
serial console, support during installation, 60
Serial Peripheral Interface (SPI) protocol, 381
serial port
pointing devices using, 41
setup for minicom, *471*
server, 681. *See also specific types of servers*
for downloading Linux, 52
Linux computer as, **16–17**
Server Configuration Tools package group, 89, 172
Server Message Block (SMB), 441
server mode for Samba security, 693
ServerAdmin directive (Apache), 735, 763
ServerCertificate variable (CUPS), 583
serverconfig file (X), 841
ServerKey variable (CUPS), 583
ServerLayout directive (xorg.conf), 847
ServerLimit directive (Apache), 730
ServerName command (Apache), 757
ServerName directive (Apache), 735, 763
ServerName variable (CUPS), 579
ServerRoot directive (Apache), 729
ServerRoot variable (CUPS), 579
Servers category of package groups, 88–89, *89*
ServerSignature directive (Apache), 741
Servertec web server, 724
ServerTokens directive (Apache), 728
service command, **521–522**
Service Configuration tool, *399*, 399–400
Service Discovery appliet (KDE), 916
service httpd start command, 761
service httpd status command, 761
Service Location Protocol (SLP), 585
service management tools, **397–400**
activation at different runlevels, **398–400**
Service Manager applet (KDE), 919
service *script* status command, 527
service user groups, 272
services
configuring, 93
disabling unneeded, **484–485**
Session layer (OSI), 440
Session Manager applet (KDE), 919
Session module (PAM), 488
Sessions window (GNOME), 870, *870*
set command (parted), 233
:set nu command (vi), 219
setup package, 166, 648
SGID bit, 213
sha1sum
checking integrity with, 55
when downloading media, 52
Shadow Password Suite, 279, **285–286**, 485
shadow passwords, 190
Kickstart configuration file for, 181–182
share, 681
share mode for Samba security, 693
shareable files, 224
shared directories
creating, **290–291**
default settings, 704

09993.book Page 1122 Thursday, June 1, 2006 11:09 PM

for installing Linux over network
on Apache server, *109*, **109–110**
with FTP server, **111–112**
using NFS server, **105–106**
from NFS server
listing, **656**
mounting, **657**
shared files, in NIS, **661–663**
sharing local update repository, **628–631**
on LAN, **628–629**
modifying clients, **630–631**
sharing properties for printer, 568
shell characters, **259–260**
SHELL environment variable, 256
shell variables, 253, **254–255**
export command for, 255
shells, 9. *See also* bash shell
configuring, **253–256**
in LPI Level II exam, 789
showmount command, 656, 657
shutdown
Ctrl+Alt+Del for, 331
in Linux+ certification exam, 780
in LPI Level II exam, 788
runlevel and, 331
signal 11, 97
Simple Mail Transfer Protocol (SMTP), 595, 596
Sims for Linux, 17
single quotes (‘), 262–263
single-user mode
runlevel and, 331
troubleshooting, *339*, **339**
size of files, displaying in file list, 203
Sketch, 960
skipx command (Kickstart), 184
slapadd command, 673–674
slapd service, 16
slashes, **261–262**
slave server
for DNS, 539, **550**
for NIS, 661, **665–666**
Sleep mode in power management, 868
slocate command, 213
slocate.cron job, 394
SLP (Service Location Protocol), 585
Smail, 597
Smart Boot Manager, 39, 48, 194
Smart Pinyin, 869
/smb directory, 225
SMB (Samba) option for authentication, 191
SMB (Server Message Block), 441, 679
smb service, 16
smbadduser command, 689
smbcacls command (Samba), 707
smbclient command (Samba), **682–685**, 705, 707
smbcontrol command (Samba), 707
smbcquotas command (Samba), 707
smbd daemon, 688
smbd server, 708
smbfs module, 683
smbpasswd file (Samba), 688–689, 707, 708
smbprint command, 708
smbstatus command (Samba), 708
smbtar command (Samba), 709
smbtree command (Samba), 684, 709
smbusers file (Samba), **689–690**, 707
SMTP (Simple Mail Transfer Protocol), 595, 596
sn (surname), 670
snapshot of logical volume, 250
sniffer, 513
SOA command (localhost.zone file), 545
Sodipodi, 960
soft limit for quota, 288
soft link, 207
software RAID, 431
Solaris, 11
Sony Vaio Laptop applet (KDE), 930
Sound and Video package group, 86, 172
Sound applet (GNOME), 879, *880*
sound cards
compatibility issues, 34
detection by First Boot process, *157*, **157**
managing, *43*, **43–44**
support for, **383–384**
Sound System applet (KDE), 926
source RPMs, 6, **312–314**
space command (less), 210
Spamassassin, 512, 599
spawn command, 526
spec file, **312–313**
speech synthesizers, 864
Spell Checker applet (KDE), 919
SPI (Serial Peripheral Interface) protocol, 381
splash screen (KDE), 907, *908*
splashimage variable (GRUB), 329
splitting primary partition, 25
spool directory, 579
history of past jobs, 582

09993.book Page 1123 Thursday, June 1, 2006 11:09 PM

spooler log file, 406
spreadsheets
    Gnumeric, **965–966**
    KSpread, *972*, **972–973**
    in OpenOffice, *950*, **950–951**
squid log file, 406
squid package, 726
Squid proxy server, 512, 771
    client configuration, 772
squid service, 16
squid.conf file (Apache), 754
SquirrelMail, 610
squirrelmail.conf file (Apache), 755
.src.rpm extension, 312
srm.conf configuration file, 728
/srv directory, 225
ssh-keygen command, 527
SSH (Secure Shell), 473, 512
sshd service (Secure Shell daemon), 16, 403
SSL (Secure Sockets Layer), 601, 669
    certificates for mail, 602
#SSLCertificateChainFile command (Apache), 757
SSLCertificateFile command (Apache), 757
SSLCertificateKeyFile command (Apache), 757
SSLCipherSuite command (Apache), 757
ssl.conf file, 754
    VirtualHost container, 756
ssl.conf file (Apache), 755
SSLCryptoDevice command (Apache), 756
SSLEngine command (Apache), 757
SSLMutex command (Apache), 756
SSLPassPhraseDialog command (Apache), 756
SSLProtocol command (Apache), 757
SSLRandomSeed command (Apache), 756
SSLSessionCache command (Apache), 756
SSLSessionCacheTimeout command (Apache), 756
#SSLVerifyClient command (Apache), 757
#SSLVerifyDepth command (Apache), 757
Stallman, Richard, 12
standard error (stderr), 257, 258
standard input (stdin), 257
standard output (stdout), 257
StarOffice, 947
start action for service script, 398
start script, 332–333
starthere file (X), 841
StartServers directive (Apache), 730
startup, in Linux+ certification exam, 780
startx command, **840**, *841*
statd daemon, fixing port for, 651
static files, 224
static hostnames, **456**
static IP addresses
    assigning, 80
    for diskless workstations, 532
    troubleshooting, 144
statistics-file directive, 541
statistics file (sendmail), 599
status action for service script, 398
stderr (standard error), 257, 258
stdin (standard input), 257
stdout (standard output), 257
stop action for service script, 398
Storage Media applet (KDE), 922
Stream Configuration Transport Protocol, 372
striping without parity, 430
strong passwords, **285**
Stronghold web server, 724
stty command, 259–260
stunnel, 512
styles, for KDE desktop, 908
Stylesheets applet (KDE), 917
subdirectories, 224
subdomains, 439
submit.cf configuration file, 597, 599, 606
submit.mc file, make command for, 607
subnet, 458
subnet mask, 557
SubSection directive (xorg.conf), 847
sudo command, 208, 284
    for administrative commands, 228
sudo package, 166
sudoers file, and root user, **283–284**
suffix directives, 671
SUID bit, 213
Sun Microsystems, 11
    Sun Open Net Environment, 723
Sun Open Net Environment, 724
Super VGA, 830
SuperKaramba, 902, 931
superuser, 82. *See also* root user
support for Linux, **15–16**
SuSE Linux, 10
suspending programs, 259
swap partition, 22, 74, 132
    configuring, 189
    creating, 237
swap space, and need for more RAM, 409

09993.book Page 1124 Thursday, June 1, 2006 11:09 PM

SWAT. *See* Samba Web Administration Tool (SWAT)
switchdesk command, 842
switchdesk-gui package, 867
switches, **453**
switching between applications
  in GNOME, *860*
  in KDE, 901, *901*
symbolic mode, 207
Symmetric Multiprocessing (SMP) kernels, 31
/sys directory, 225
sysconfig file (X), 841
syslog file, 97, 400
syslogd daemon, 400
  and remote logging, 406
System Administration applet (KDE), *928*, **928–930**
system administration commands, directory for, 225
System Bell applet (KDE), 926
System Clock Uses UTC option, 81, 138, 413
System Commander, 27, 76
system-config-authentication command, 676
system-config-bind package, 551
system-config-boot command, 160
system-config-date utility, 860
system-config-display command, 193, 829, 830
system-config-httpd command, 762, 764
system-config-keyboard utility, 43, 62
system-config-kickstart command, 185
system-config-languages tool, 159, 843
system-config-lvm command, 248
system-config-netboot command, 113, 533
system-config-network-cmd command, for current network settings, 458
system-config-network command, 463, 464
system-config-nfs package, 648, 653
system-config-printer-tui command, 565–566
system-config-samba package, 681, 718
system-config-securitylevel command, 499, 503
system-config-securitylevel-tui command, 499
system-config-securitylevel utility, 530
system-config-services command, 399
system-config-soundcard command, 43, 157
system-config-time command, 80
system-config-users command, 281
System Control Center, 160–161, *161*
system-control-network command, 463
System Log Viewer, *407*, 407
system logs, **402–403**
system message log
  for troubleshooting local install, 97–98
  viewing, 95, 143
System Notifications applet (KDE), 926
system-switch-mail, 595, 597, 609
System To Upgrade screen, *126*, 126–127, 141
System Tools package group, 90, 172
SystemGroup variable (CUPS), 587
SysVinit package, 166

T

t command (fdisk), 228, 231
tail command, **210**
Take Screenshot tool (GNOME), 884, *885*
Tannenbaum, Andrew, 11
Tao Linux, 6
tape drives, for backups, 417, 418, **419**
tar command, 419, 420–421
tarball
  building binaries from, **313–314**
  for kernel, 348
    unpacking, 351
.tar.bz2 extension, 420
.tar.gz extension, 420
taskbar (KDE), 910, *910*
TCP (Transport Communications Protocol), 437, 444
TCP/IP, 10, 437
  application-level protocols, **443–444**
  link-level protocols, 445
  model, 442, *443*
  network-level protocols, 444
  patterns for iptables, 494
  protocols for e-mail, 596
  transport-level protocols, 444
TCP/IP ports, Apache listening on, 763
TCP Wrappers, **524–526**, 647
  and NFS, 652
  xinetd firewall, **525–526**
tcp_wrappers command, 646
telephone modems, 464
  configuring, **468–470**, *469*
telephony support, 379
Telnet, 520
  allowing through firewall, 181
  Kerberos, **522–523**
telnet command, 523
telnet package, 166
temporary files, directory for, 225

09993.book Page 1125 Thursday, June 1, 2006 11:09 PM

Terminal (GNOME), 884
Terminal Program - Super User Mode applet, 945
terminals, 380. *See also* diskless workstation
testing
    Kickstart configuration file, **197**
    updates for local repository, **623**
testparm command, 705
text-based clients, for mail services, **612–614**
Text-based Internet package group, 86, 172
text command, 58
text command (isolinux.cfg), 51
text command (Kickstart), 185
text editors
    to add user to /etc/passwd file, 278
    for crontab, 394
    Emacs (editor), 169, **220**, *220*
    joe (editor), 169, **220–221**, *221*
    in KDE, 931
    setting vi as default, 253
    vi (editor), 169, **216–219**
    vim (Vi, IMproved) editor, 216
    xemacs (editor), 169
text format for databases, 949
text mode
    Disk Druid in, 128, *129*
    for First Boot process, **157–159**, *158*
    for installing Linux
        booting, **119–121**
        Kernel Parameter Help screen, 120, *121*
        keyboard, *122*, 122
        language choices, 122, *122*
        procedure steps, **121–141**
        starting, 120
    for Kickstart Configurator, 186
    for Linux upgrades, **141–143**, *142*
    network configuration, 136, *136*, *137*, **465**
    selections from menus, 122
Text-to-Speech applet (KDE), 924
TFTP (Trivial File Transfer Protocol) server, 485
    copying to, **114**
    diskless workstation configuration, **531**
/tftpboot directory, 225
.tgz extension, 420
Thawte, 758
theme management, in KDE, 902
Theme Manager (KDE), 908, *908*
Theme Preferences window (GNOME), 879, *880*
third extended filesystem (ext3), 235
    converting ext2 filesystem to, 237
    creating, 237
third-party applications, standard locations for, 225
third-party repositories, **307–308**, 621, 624
Thompson, Ken, 10, 747
Thomson/Prometric, 791
Thomson, SAIR series of exams, 777
ThreadsPerChild directive (Apache), 731
thttpd package, 726
thttpd web server, 724
tilde (~) for home directory, 842
    in bash shell, 260
time management, during exam, 823
time-sensitive issues, and backups, 417
time server, synchronizing clock with, 151, *152*
time-sharing, 9
time zone
    configuring
        in Kickstart Configurator, 186
        in text mode, *138*, 138
        when installing locally, 80–82, *81*
    setting computer for, 413, *414*
timeout command (isolinux.cfg), 51
Timeout directive (Apache), 729
Timeout variable (CUPS), 585
timeout variable (GRUB), 329
timestamp, changing for existing file, 205
timezone command (Kickstart), 185
timezone directive, in Kickstart configuration file, 179
title variable (GRUB), 329
TLS (Transport Layer Security), 601, 669
/tmp/anaconda.log file, 95
/tmp directory, 225
    deleting files with cron job, 394
    saving installation consoles and logs from, 95
    space requirements, 133
/tmp/X.log file, 61
tmpwatch job, 394
Token Ring, 445, 465
Token Ring Devices submenu, 378
tolerant directive (yum), 302
tomcat5-admin-webapps package, 726
tomcat5 log file, 406
tomcat5 package, 726
top command, **408–409**, *409*
top-level domains, 439, 539
Torvalds, Linus, 12, 350
touch command, **204–205**
    for creating quota file, 288
touchscreen, configuring, 379

09993.book Page 1126 Thursday, June 1, 2006 11:09 PM

Tourrilhes, Jean, 35, 475
Toutdoux, 960
traceroute command, 451, **481–482**
TransferLog command (Apache), 757
transmission media for network, 452
Transport Communications Protocol (TCP), 437, 444
transport file (Postfix), 608
Transport layer (OSI), 440
Transport Layer Security (TLS), 601, 669
  and Outlook Express or Evolution, 604
Tripwire, 513
Trivial File Transfer Protocol (TFTP), diskless workstation configuration, **531**
Trolltech, 170
troubleshooting
  access issues, **514–515**
  Apache server (httpd), **760–762**
  boot process, learning, 821
  configuration files, **333–340**
  filesystems, **240–242**, *241*
  installing Linux locally, **94–98**
  installing Linux over network, **143–144**
  learning, 855
  logs for, **400–408**
  networks, **479–482**
    ping and traceroute for checking connections, **481–482**
  on Red Hat exams, 817
  remote environment access issues, **529**
  reporting problems, **19**
  Samba (smbd), **704–707**
  single-user mode, **339**, *339*
  static IP addresses, 144
  X Window, **854–856**
Tru64, 11
Trusted Services, firewall configuration for, 148
trusted-users file (sendmail), 599
tune2fs command, 237, 241
Tux Games, 17
tux package, 725
Tux web server, 172
twm file (X), 841
twm window manager, 835
TYPE variable, 473

U

u command (vi), 217, 219
udev service, 324, 325
UDP (User Datagram Protocol), 444
uid (user ID), 670
umask command, **213**
umount command, 240
unalias command, 263
uname command, 346
unarchiving files, 420
undoing actions in vi, 217
Uniform Resource Identifier (URI), 564
uninstalling services, 485
Universal SSL tunnel, 512
universities, and Unix alternatives, 11
University of Virginia, 4
University of Wisconsin, 284
Unix
  alternatives, **11**
  history, **9–12**
Unix-to-Unix Copy Protocol (UUCP), 596
UnixWare, 11
unmounted filesystems, fstab configuration file to check, 337
updatedb man page, 215
Updates repository, 300
Updates-Testing repository, 300–301
updating RPM packages, **316–320**
upgrade command (Kickstart), 185
Upgrade Examine screen, 63, *64*
uploading files, log of, 643
URI (Uniform Resource Identifier), 564
url (LDAP), 670
USB
  for backup connection, 419
  preventing support install, 59
  support for, **384**
USB key drive, 49
  booting from, 194, 335
  creating boot key, 118
USB port
  Anaconda and, 24
  compatibility issues, 34
UseCanonicalName directive (Apache), 735
user accounts, **271–276**
  access attempts to prohibited service, **515**
  administering, **277–285**
    adding users, **277–279**
  creating, *155*, **155**
  deactivating, 279
  deleting, **279–280**
  for POP3, 611

09993.book Page 1127 Thursday, June 1, 2006 11:09 PM

quotas for, **286–290**
creating, **287–289**
timeout for idle connection, 643
user command (FTP), 637
User Datagram Protocol (UDP), 444
User directive (Apache), 734
USER environment variable, 256
user interface. *See* command-line interface; graphical user interface (GUI)
user management, in Linux+ certification exam, 777–778
user mode for Samba security, 693
user-mode programs, 9
User Private Group scheme, 271
user private groups, **290–291**
User Properties dialog box, 281–282, *282*
useradd command, 277, 279, 611
USERCTL variable, 473
userdel command, **279–280**
user_list file (FTP), 641
usernames, 277
for installing Linux from FTP server, 178
for mount commands, 683
RemoteRoot variable in CUPS, 584
users
dollar sign ($) as command prompt, 208
home directories for, 224
tilde (~) in bash shell for home directory, 260
types, 272
<uservisible> tag (comps.xml), 164
/usr directory, 225
space requirements, 133
/usr/lib/yp/ypinit command, 663, 664
/usr/sbin/vipw command, 277
/usr/share/X11/app-defaults directory, 829
/usr/src/linux/.config file, 355, 359
/usr/src/linux directory, 358
UTF-8, 747
utilities, 9
utmpdump command, 403, 514
UUCP (Unix-to-Unix Copy Protocol), 596

V

v command (fdisk), 228
Validate action (CUPS), 564
/var/cache/yum directory, 620, 621
/var directory, 225
space requirements, 133
/var/lib/rpm directory, 315
/var/log/cron file, *404*, 404
/var/log directory, 402, 405
/var/log/httpd/access_log file, 404
/var/log/messages file, 526
/var/log/samba/smbmount.log file, 405
/var/log/secure.log file, **403**
/var/log/vsftpd.log file, for record of uploads and downloads, 643
/var/log/wtmp file, 403, 514
/var/named directory, 538, 540, 543
/var/named/named.ca file, 539
/var/tmp directory, deleting files with cron job, 394
/var/yp/Makefile file, 663
variable files, 224
vbox log file, 406
VendorName directive (xorg.conf), 847
VeriSign, 758
vertical synchronization, Kickstart xconfig settings, 180
VertRefresh directive (xorg.conf), 847
Very Secure FTP Daemon, 169
Very Secure FTP server (vsFTP), **641–647**
configuration files, **641–646**
VESA (Video Electronics Standards Association), 830
VFAT paratitions, procedure steps for preparing for Linux, **26–28**
VG (volume group), 246
vgcreate command, **247**
vgdisplay command, 247, *248*
vi (editor), 169, **216–219**
command mode, **216–218**
Execute mode, **218–219**
exiting without saving, 219
insert mode, **218**
setting as default, 253
VIA technologies, 386
video adapter
configuring, **153**, **155**
detection messages for, 95
frequencies and refresh rates for, 31
Kickstart xconfig settings, 180
X Window settings for, **831–832**, *832*
xorg.conf file support for, 850–851
Video Card Settings window, 832, *832*
Video Electronics Standards Association (VESA), 830
video mode, for installation, 60

09993.book Page 1128 Thursday, June 1, 2006 11:09 PM

video RAM, Kickstart xconfig settings, 180
VideoRam directive (xorg.conf), 847
ViewPort directive (xorg.conf), 847
vim-minimal package, 166
vim (Vi, IMproved) editor, 216
virtual consoles
  for installation troubleshooting, **94–98**
  working with during install, 819
virtual file (Postfix), 608
virtual hosts
  on Apache server, **752–754**
    configuring, **764–769**
    security, **755–758**
virtual memory, 22. *See also* swap partition
  Microsoft Windows vs. Linux requirements, 26
Virtual Network Computing (VNC) service, *876*, 876–877
virtual private network, connections, **473–474**
virtual terminal consoles, 331
<VirtualHost _default_:443> command (Apache), *757*
virtualusertable file (sendmail), 599
visudo command, 283
vmlinuz (compressed Linux kernel), 50
VMware, 17
VMware Virtual Machine, installing Fedora Core on, 49
VNC Viewer (GNOME), *885*, 885
volgroup command (Kickstart), 183, 185
Volume Control window (GNOME), 879, *881*
volume groups (VG), 246
  creating, 103, **247**
volumes, 22
vsftpd-* RPM package, 110
vsftpd service, 16

W

w command, 409
w command (fdisk), 228
w (write) permission for file, 211–213
Wal-Mart, 17
warranty, 12
Washington University (St. Louis), 523
Watchdog Cards, 380
wc command, 213, **214**
Web Behavior applet (KDE), 917, *918*
web browser, selecting preferred, 869
Web Browsing applets, **916–917**, *917*
web directories, SELinux for, **753–754**
web page requests, allowing through firewall, 181
web resources
  desktop software, 17
  on FIPS, 28
  mailing lists on Linux, 15
web server. *See also* Apache server (httpd)
  Kickstart commands for installing Fedora Core from, 178
  limiting access to, *763*, 763–764
Web Server package group, 89, 172
web services, 723
  options, **723–724**
Web Shortcuts applet (KDE), 917
Webalizer, *755*, 755
webalizer.conf file (Apache), 755
websites
  multiple setup on single IP address, **752–754**
  user-based security for, **760**
welcome.conf file (Apache), 755
"well-known" ports, 444
wheel group, 271
  limiting root access with, **285**
White Box Enterprise Linux, 6
who command, 216, 409
whois command, 669
wide area network (WAN), 379, 438
wildcards, **261**
Win4Lin, 17
winbindd command (Samba), 709
Window Behavior applet (KDE), *911*, 911
Window Decorations (KDE), 909
window manager, 839
WindowMaker window manager, 835
Windows 98 boot disk, 48
Windows File Server package group, 89, 172
Windows Internet Name Service (WINS), 558, 691, 696–697
  specifying role on network, 711
Windows (Microsoft). *See* Microsoft Windows
Windows Preferences window (GNOME), 880, *881*
WINE (Wine Is Not an Emulator) project, 24
Winmodems
  compatibility issues, 34
  device drivers availability, 31
Winprinters, 34
  device drivers availability, 31
Wireless Network configuration applet (KDE), 916, *916*

09993.book Page 1129 Thursday, June 1, 2006 11:09 PM

wireless networks, *378*, 378, **475–479**
adapter card compatibility issues, 35
configuring, 465, **477–479**
experimental device drivers, 476
list of available, 479
MADWiFi project, 475–476
NdisWrapper project, **476–477**
plug-and-play hardware, 475
proprietary drivers, 476
troubleshooting, 452
wireless protocols, 445
wireless-tools RPM, 477
WN web server, 724
word processors
AbiWord, *961*, **961–962**
KWord, **973–975**, *974*
OpenOffice.org Writer, **956–958**, *957*
words in file, count of, 214
workgroup, 681
workspaces
in GNOME, 858, **859**, *859*
in KDE, 900, 901, *901*
workstation, Fedora Core on, **17–18**
Workstation, Red Hat Enterprise Linux WS, 5
write (w) permission for file, 211–213
write_enable command (FTP), 642
Writer (OpenOffice.org), **956–958**, *957*
WS (Workstation) Red Hat Enterprise Linux, 5
wtmp file, 402
WU-FTP, 523

X

X-Chat, 890, *891*
X client, 839
SSH configuration file, 853
x command (vi), 217
X Configuration menu (Kickstart Configurator), *192*, **192–193**
X Configuration tool, 159
X Display Manager, 839, *840*
x (execute) permission for file, 211–213
X file (X), 841
X Font Server, 848, 856
X Server, 839
SSH configuration file, 853
X Software Development package group, 88, 172
X Window, 9
auto configure, 834
configuration files, **840–852**
/etc/X11 directory, **841**, *841*
in users' home directories, **842–845**
xinitrc-common file, **843–845**
xinitrc file, **842–843**
xorg.conf file, 829, 834, 841, **845–852**
configuration tools, **829–839**
definitions, 839
display manager, changing, **835–839**
Fedora Core display settings, **830–834**
two monitors, 833–834, *834*
video adapter, 831–832, *832*
Kickstart configuration file and, 179
in LPI Level 1 exam, 787–788
on Red Hat exams, 818
remote access, **852–854**
RPM packages, 830
switchdesk, **834–835**
troubleshooting, **854–856**
X Window System package group, 85, 90, 172–173
X.500 protocol, 669
x86 architecture, Fedora Core support for, 31–32
x86_64 architecture, Fedora Core support for, 32
Xandros, 17
xconfig command (Kickstart), 185, 193
xconfig file, 179
XConfig.test file, 97
xdm file (X), 841
xdm log file, 406
xDSL connection, 465
xemacs (editor), 169
Xen package group, 90, 173
Xen virtualization, 7
XFce, 835
XFree86 project, 830, 846
xfs filesystem, 235, 856
xinetd service, 16, 115, 487, 519
activating, **521–522**
firewall, **525–526**
services controlled by, **520–524**
xinit file (X), 841
xinitrc-common file, **843–845**
xinitrc file, **842–843**
Xinu, 11
X.log file, 97
XML, for comp.xml file, 163
Xmodmap file (X), 841
Xorg X11R7 server, 7
Xorg6* log file, 406

09993.book Page 1130 Thursday, June 1, 2006 11:09 PM

xorg.conf file, 829, 834, 841, **845–852**
Device section, 850–851
DRI (Direct Rendering Interface), 852
Files section, 848
InputDevice section, 849
Module section, 849
Monitor section, 850
Screen section, 851
ServerLayout section, 848
xorg.o.log file, 854–856, *855*
Xpdf PDF Viewer, 976, *977*, **977–978**
Xresources file, 841
xsane, 981
xsetroot command, 844

Y

Yellow Pages, 661
Yellowdog Updater (yup), 301
yp-tools package, 660
ypbind command, 666
ypbind package, 167, 660, 665
ypcat command, 667
ypchfn command, 667
ypchsh command, 668
yp.conf file, **667**
ypdomainname command, 456
ypmatch command, 668
yppasswd command, 668
yppasswdd package, 665
yppush command, 666
ypserv service, 16, 660, 663, 665
ypxfrd daemon, 665, 666
yum check-update command, 310
yum clean command, 309
yum groupinfo command, 310
yum grouplist command, 310
yum info command, 308
yum install command, 308
yum install kernel command, 344
yum install system-config-bind command, 538
yum list command, 309
yum log file, 406
yum package, 6, 167
yum provides command, 309
yum remove command, 308
yum search command, 309
yum update utility, 293, 298, **301–311**
automating, 311
at command line, **308–311**
for uninstalling RPMs, 485
yum.cron job, 620
yumdownloader command, 312, 349
Yumex (Yum Extender), 316, **318–320**, *319*
yup (Yellowdog Updater), 301

Z

#z command (less), 211
Z shell, 251
Zero Configuration Network (Zeroconf), 916
zerombr command (Kickstart), 185
Zeus, 723, 724
Zimmerman, Phil, 314
Zip drives, for backups, 418
Zippel, Roman, 362
zones of authority (DNS), 539, 542
Zope web server, 724